

Presented to the L. H. Bailey Hortorium
by the Missouri Botanical Garden, 1972.

Revised Edition.

CATALOGUE FOR 1849,
OF A FINE COLLECTION
OF
FLORICULTURAL,
VEGETABLE, AND AGRICULTURAL
SEEDS,

COMPRISING, IN ALL, UPWARDS OF
1800 SPECIES AND VARIETIES OF FLOWER SEEDS;

AND AMONG OTHERS,

SOME SPLENDID ASSORTMENTS OF
German Asters, Stocks, Zinnias, Hollyhocks,
&c. &c. (Page 4);

BESIDES A NUMEROUS LIST OF OTHER ESTABLISHED
FAVOURITES, AND MANY NEW AND RARE SEEDS.

*In giving orders for Flower Seeds it is quite sufficient to mention the numbers
without the names; but as the numbers are changed every year, it
is absolutely necessary to say from the Catalogue for 1849.*


*See Page 4, German Assortments, and Pages 5 to 27, Miscellaneous Flower Seeds,
all of which are numbered.*

~~~~~  
THE  
LIST OF VEGETABLE SEEDS  
WILL BE FOUND TO CONTAIN ALL THE LEADING  
AND MOST APPROVED VARIETIES.  
~~~~~

TO BE HAD OF
JAMES CARTER,
SEEDSMAN AND FLORIST,
238, HIGH HOLBORN, LONDON.

* * The German Seeds are from the usual source.

Jan. 1, 1849.



THE NECESSARY EXPLANATIONS

Respecting the Linnean Classes and Orders, the Natural Orders, Duration, Height, Colour of the Flower, Time of Flowering, and Price, in Eight Columns, are given below. The exemplification will be found at Page 5.

1st and 2nd Columns.—The Linnean Classes and Orders. 3rd.—Natural Orders.

4th Column.—*Hardiness and Duration of each plant.*

h. *hardy*; hh. *half-hardy*; t. *tender*; F. *frame*;—G. *greenhouse*;—S. *Stove perennial*; a. *annual* (last 1 year); b. *biennial* (last 2 years); p. *perennial* (last many years).—Application: ha. *hardy annual*; lha. *half-hardy annual*; ta. *tender annual*; fa. *frame annual*; fgh. *frame or greenhouse*; ghb. and hgh. *green or holhouse*; sa. *stove annual*; lib. *hardy biennial*; hbb. *half-hardy biennial*, &c. &c.

5th Column.—*Colour*: bl. *blue*; b. & w. *blue and white*, &c.; d. *dark*; l. *light*; d. r. *dark red*; div. *diverse*, &c. &c.; stri. *striped*, &c.

6th Column.—*Usual height of the plant in feet*; tra. *trailer*; cl. *climber*.

7th Column.—*Usual month of flowering*: 6, *June*; 6-9, *June to September*, &c. &c.

8th Column.—*Price per Packet*. 6d. *Packets may be had of those marked 3d.*, &c.

TIME OF SOWING.—Hardy Annuals, February till June, and in Autumn; when sown early many of the Annuals flower in May and June. Hardy Biennials and Perennials, March till June, and in Autumn. Half-hardy Annuals, &c. in March, April, or May, on a moderate hot-bed. Many of the Biennials and Perennials marked hh will stand the winter without protection; they, as well as the half-hardy Annuals, with few exceptions, may likewise be sown on a warm border early in May. The tender Annuals require more than one hot-bed.

The Greenhouse Climbers marked ** may be planted in the borders in May.

* Dwarf Plants proper for the edgings of beds. ** Ornamental Climbers.

† Usually flower the first year, if sown early; *sp.* species, *var.* variety.

The dots | ... | ... | ... | ... | indicate a repetition; *pl.* *plures*, many; *ex.* from.

I. The 24 Linnean Classes. (See Flower Seeds, 1st Col. page 5.)

The Linnean Classes are founded on the Sexual Organs.

Classes.	a. Stamens (male organs) equal.		e. Stamens united in sets.	
	No.			
	1.	Monandria . 1 stamen	16.	Monadelphina, 1 set
	2.	Diandria . 2 stamens	17.	Diadelphina, 2 sets
	3.	Triandria . 3 "	18.	Polyadelphina, many sets
	4.	Tetrandria . 4 "	d.	Compound Flowers (<i>Asters</i> , &c.).
	5.	Pentandria . 5 "	19.	Syngenesia
	6.	Hexandria . 6 "	e.	Stamens on the style.
	7.	Heptandria . 7 "	20.	Gynandria
	8.	Octandria . 8 "	f.	Male and female separated.
	9.	Enneandria . 9 "	21.	Monœcia, on one plant
	10.	Decandria . 10 "	22.	Dioœcia, on different plants
	11.	Dodecandria 12 to 19 S. in the cup	g.	Male, female, and hermaphrodite flowers, on one or different plants.
	12.	Icosandria 20 or more S. on the base	23.	Polygamia, many marriages
	13.	Polyandria, many Stamens	h.	Flowers wanting, or incomplete.
		b. Stamens unequal.	24.	Cryptogamia, hidden marriages (<i>Ferns</i> , <i>Mosses</i> , &c.).
	14.	Didynamia, 2 long, 2 short		
	15.	Tetradynamia, 4 ,, 2 ,,		

II. The Linnean Orders. (See Flower Seeds, 2nd Column, page 5.)

The Linnean Orders are founded on the Sexual Organs, Seeds, or Pods.

a. Orders founded on the Styles, or female organs.

No. 25. Monogýnia	. 1 style
26. Digýnia	. 2 styles
27. Di-pentagýnia	2 to 5 "
28. Trigýnia	. 3 "
29. Tetragýnia	. 4 "
30. Pentagýnia	. 5 "
31. Hexagýnia	. 6 "
32. Heptagýnia	. 7 "
33. Decagýnia	. 10 "
34. Dodecagýnia	. 12 "
35. Polygýnia	many "

b. On the Stamens (male organs).

36. Monan'dria	. 1 stamen
37. Diandria	. 2 stamens
38. Triandria	. 3 "
39. Tetrandria	. 4 "
40. Pentandria	. 5 "
41. Hexandria	. 6 "
42. Heptandria	. 7 "
43. Octandria	. 8 "
44. Enneandria	. 9 "
45. Decandria	. 10 "
46. Dodecandria	. 12 "
47. Icosandria	. 20 "
48. Polyandria	many "

c. On the sets of Stamens.

No. 49. Monadelphia, 1 set

d. Styles and stamens united.

50. Gynandria

e. Male and female separate.

51. Monoc'cia, on one plant

52. Dioc'cia, on different plants

f. On the Polygamy.

53. { Polygámia æquális, or
Equal Polygamy

54. { Polygámia superflua
Superfluous Polygamy

55. { Polygámia frustranea
Frustrated Polygamy

56. { Polygámia necessaria
Necessary Polygamy

57. { Polygámia segregata
Separated Polygamy

g. On the Seeds.

58. { Gymnosper'mia

Naked seeds

59. Angiosper'mia, in a capsule

h. On the Pods.

60. Siliculösa, a small pod

61. Siliquösa, a long pod.

III. The Natural Orders. (See Flower Seeds, 3rd Column, page 5.)

The Natural Orders are founded on Structural Affinities.

63. Acanthaceæ	85. Compósitæ	108. Limnanthaceæ	131. Proteaceæ
64. Amaranthaceæ	86. Coniferae	109. Linaceæ	132. Ranunculaceæ
65. Anonaceæ	87. Convolvulaceæ	110. Loasaceæ	133. Resedaceæ
66. Apocynaceæ	88. Crassulaceæ	111. Lobeliaceæ	134. Bhamnaceæ
67. Arabiaceæ	89. Cruciferae	112. Lorantheæ	135. Bosaceæ
68. Aristolochiaceæ	90. Cucurbitaceæ	113. Lythraceæ	136. Rubiaceæ
69. Asclepiadaceæ	91. Dipsaceæ	114. Marantaceæ	137. Rutaceæ
70. Balsaminaceæ	92. Epaeridaceæ	115. Malvaceæ	138. Sapindaceæ
71. Begoniaceæ	93. Ericaceæ	116. Myrtaceæ	139. Scrophulariaceæ
72. Berberidaceæ	94. Euphorbiaceæ	117. Nyctaginæ	140. Sesameæ
73. Bignoniaceæ	95. Ficoideæ	118. Nymphaeaceæ	141. Silenaceæ
74. Bombaceæ	96. Fumariaceæ	119. Onagraceæ	142. Smilaceæ
75. Boraginaceæ	97. Francoaceæ	120. Magnoliaceæ	143. Solanaceæ
76. Byttneriaceæ	98. Gramineæ	121. Melantheæ	144. Stylidiaceæ
77. Cactaceæ	99. Gentianaceæ	122. Papaveraceæ	145. Thymelaceæ
78. Campanulaceæ	100. Geraniaceæ	123. Passifloraceæ	146. Tropaeaceæ
79. Capparidaceæ	101. Gesneriaceæ	124. Pittosporaceæ	147. Umbellaceæ
80. Caprifoliaceæ	102. Hydrophyllaceæ	125. Plumbaginaceæ	148. Tiliaceæ
81. Celastrinaceæ	103. Iridaceæ	126. Polemoniaceæ	149. Valerianaceæ
82. Cistaceæ	104. Jasminaceæ	127. Polygalaceæ	150. Verbenaceæ
83. Cobaceæ	105. Labiatae	128. Polygonaceæ	151. Violaceæ
84. Commelinaceæ	106. Leguminosæ	129. Portulacæ	152. Zygophyllaceæ
	107. Liliaceæ	130. Primulaceæ	

The names of the Natural Orders ending in ACEÆ are chiefly derived from Generic Names, as CAMPANULACEÆ from CAMPANULA; such as end in A only are not, as COMPOSITEÆ, LABIATEÆ, &c.

ASSORTMENTS OF GERMAN FLOWER SEEDS

IN THE ORIGINAL SEALED PACKETS.

These Seeds warranted to equal, if not surpass, any in the Kingdom.

No.	h. hardy; hh. half-hardy; t. tender; a. annual; b. biennial; p. perennial.					s. d.
1	24	splendid varieties of German Aster, separate, <i>hha.</i>			6 0
2	24	do. do. do. do.	smaller packets			3 0
3	12	do. do. do. do.				3 0
4	12	do. do. do. do.	smaller packets			1 6
5	16	superb new Globe do. do.				4 0
6	16	do. do. do. do.	smaller packets			2 0
7	8	do. do. do. do.				2 0
8	8	do. do. do. do.	smaller packets			1 0
9	12	new double Pyramidal do. do.				3 0
10	12	do. do. do. do.	smaller packets			1 6
11	8	new Globe Pyramidal do. do.				2 0
12	8	do. do. do. do.	smaller packets			1 0
13	60	splendid German Aster, comprising Nos. 1, 5, 9, 11			13 0
14	60	do. do. do. do. Nos. 2, 6, 10, 12	smaller packets			6 6
15	30	do. do. do. half of No. 13			7 0
16	30	do. do. do. do.	smaller packets			3 6
17	24	beautiful new dwarf German Aster, separate			6 0
18	24	do. do. do. do.	smaller packets			3 0
19	12	do. do. do. do.				3 0
20	12	do. do. do. do.	smaller packets			1 6
21	24	extra fine dwarf German Stock, separate, <i>hha.</i>			7 0
22	24	do. do. do. do.	smaller packets			3 6
23	12	do. do. do. do.				4 0
24	12	do. do. do. do.	smaller packets			2 0
25	12	finest branching Noddy do. do.				3 0
26	12	do. do. do. do.	smaller packets			1 6
27	12	very fine wallflower-leaved or Prussian Stock, separate			3 0
28	12	do. do. do. do. do.	smaller packets			1 6
29	60	fine German Stock, comprising Nos. 21, 25, 27			15 0
30	60	do. do. do. separate Nos. 22, 26, 28	smaller packets			7 6
31	30	do. do. do. the half of No. 29			8 0
32	30	do. do. do. separate	smaller packets			4 0
33	12	finest new Antirrhinum or Snapdragon, <i>hp.</i>			2 6
34	20	beautiful double Balsam, <i>la.</i> or greenhouse			5 0
35	50	finest Carnation, 5 of each			12 0
36	10	Coek'scomb, <i>ta</i>			3 6
37	10	finest Elichrysium or Xeranthemum, <i>hha.</i>			3 0
38	40	extra fine double Hollyhock, <i>hp.</i>			6 0
39	20	do. do.				3 0
40	12	finest double dwarf Rocket Larkspur, <i>ha.</i>			2 6
41	12	do. do. tall do. <i>ha.</i>			2 6
42	12	finest varieties of Marigold, <i>hha.</i>			3 0
43	16	beautiful new Petunia, <i>hlp.</i>			5 0
44	12	extra fine new varieties of <i>Phlox Drummondii</i> , <i>hha.</i>			5 0
45	16	extra fine double Poppy, <i>ha.</i>			3 6
46	12	beautiful Salpiglossis, <i>hha.</i>			3 6
47	12	splendid new Seabious, <i>hp.</i>			3 0
48	12	finest biennial Stock, <i>hhb.</i>			3 0
49	12	do. do.	smaller packets			1 6
50	16	superb new Wallflower, <i>hp.</i>			6 0
51	16	do. do.	smaller packets			3 0
52	8	do. do.				3 0
53	8	do. do.	smaller packets			1 6
54	24	splendid <i>Zinnia elegans</i> , <i>hha.</i>			8 0
55	12	do. do.				4 0

CATALOGUE.

N.B. The Numbers 1 to 24 represent the 24 Linnean Classes (see Column 1st), whereas those indicating the Linnean Orders (2nd Column) and the Natural Orders (3rd Column) are arbitrary; their signification is given above (see Page 3rd). Example, Campanula, 5, 25, 78, belongs to the 5th Linnean Class, *Pentandria*, the flower having 5 Stamens; to the Linnean Order *Monogynia*, from its having 1 Style (Pistillum); and to the Natural Order *Campanulaceæ*, plants with Bell-shaped Flowers. See page 7.

MISCELLANEOUS FLOWER SEEDS.

The following Plants, with few exceptions, have no popular name; thus *Ageratûm mexicanum* is rendered Mexican Ageratum, &c.—In giving orders it is sufficient to mention the numbers and date of this Catalogue, 1849. N.B. The numbers are changed every year.

A — indicates a variety. () That the word is not literally translated, or is superadded.		THE ACCENTS.		Linnean Class.	Linnean Order.	Natural Order.	Hardness and Duration.	Colour of the Flower.	Height in Feet.	Month of Flowering.	Price per Packet.
à, â, î, ò, ù, y', as in <i>Acà-cia, Gardè-nia, Lupi-nus, Cù-phœa, Hy'-acinth.</i>		THE ACCENTS.									
á, é, í, ó, and y', as in <i>Itál-ica, èl-egans, víc-olor, Ne-móph-ila</i> (ù does not occur).											
Scientific Name.											
No.									feet	s. d.	
56	<i>Abrus precatorius**</i>	prayer (sacred)		16	44	106	S.	pnr.	cl.	4-6	6
57	<i>Acæcia armata</i>	armed		23	51	...	G.	ycl.	10	6-8	6
58	<i>pulchella</i>	pretty		5	...	6
59	— — —	finest mixed		4-10	...	1 0
60	<i>Achimenes</i>	finest mixed		14	59	101	S.	div.	1	...	1 0
61	<i>Aconitum chinense</i>	Chinese		13	28	132	hp	bl.	3	8-9	6
62	— — —	fine mixed		w & b	...	7-9	6
63	<i>Adenôphora suaveolens</i>	fragrant		5	25	78	hp†	bl.	2	6-8	3
64	<i>Adlûmia cirrhôsa**</i>	tendrilled		17	41	96	hb†	w & p	cl.	6-9	6
65	<i>Æthionêma persica</i>	Persian		15	61	89	ha	p & r	3	6-7	3
66	<i>Ageratûm mexicanum</i>	Mexican		19	53	85	...	bl.	2	7-8	3
67	<i>odoratûm</i>	odorous		3
68	<i>Aglâia Rohituka</i>	Rohituka		150	1 0
69	<i>Agrostis pulchella</i>	pretty		3	26	98	ha	gr.	1	6-8	3
70	<i>Alonsôa grandiflora</i>	large-flowered		14	59	139	hb†	se.	...	6-9	6
71	<i>ineisifolia</i>	cut-leaved		3
72	<i>Alstrœmèria aurantiæa</i>	orange		6	25	64	hp†	or.	2½	6-8	6
73	<i>brasilensis</i>	Brasilian		2	...	6
74	<i>Hookeri</i>	Hooker's		er.	6
75	<i>Pelegriña</i>	(striped)		stri.	6
76	— alba	white		wh.	6
77	<i>psittacina</i>	parrot		var.	6
78	<i>pulchella</i>	pretty		sc.	6
79	<i>tricolor</i>	three-coloured		w p y	6
80	<i>sp. ex Chile</i>	Chilian species		red	6
81	<i>Van Houttii</i>	Van Houtte's		div.	1 0
82	— — —	6 finest sorts		2 6
83	— — —	fine mixed		6
84	<i>Alyssum saxatile</i>	rock		15	60	89	...	yel.	1	5-6	3
85	<i>Wiersbeckii</i>	Wiersbeck's		6
86	<i>Amaranthus bicolor</i>	two-coloured		21	40	63	ta	var.	...	7-8	3
87	<i>tricolor</i>	three-coloured		3
88	<i>speciosus</i>	showy		hha	pur.	2	...	3
89	<i>Amethystea cærulea</i>	blue		2	25	105	ha	bl.	1½	...	3
90	<i>Anagallis indica</i>	Indian		5	...	130	1	6-7	3
91	<i>grandiflora azurea</i>	azure		fgh	6-9	6
92	<i>Parksii</i>	Parks's		red	6
93	— — —	finest mixed		div.	1 0
94	<i>Anchusa arvensis</i>	cultivated		75	ha	bl.	...	6-8	6
95	<i>italica</i>	Italian		hp	r. p.	2	6-9	3

<i>A</i> —indicates a variety. () That the word is not literally translated, or is superadded.		L.	O.	N.	O.	H. & Dur.	Col. of Fl.	Height.	M. of Flow.	Price
No.		L.	O.	N.	O.	H. & Dur.	Col. of Fl.	Height.	M. of Flow.	s. d.
96	<i>Androsæea coronopifolia</i>	Buck'shorn-leaved	5	25	130	hpt		feet		
97	<i>Anemone coronaria</i>	garland (Poppy)	13	35	132	...	div.	$\frac{1}{2}$	5-6	6
98	— chinensis	Chinese	1	5-7	6
99	<i>Hudsoniana</i>	(Hudson's Bay)	wh.	6
100	<i>narcissiflora</i>	<i>Narcissus</i> -flowered	6
101	<i>Pulsatilla</i>	(Pasque-flower)	vio.	$\frac{1}{2}$	4-5	6
102	<i>sulphurea</i>	sulphur-coloured	sul.	6
103	<i>Anoda Dilleniana</i>	<i>Dillenius's</i>	16	48	115	ha	bl.	$1\frac{1}{2}$	7-8	3
104	<i>Anomatheca cruenta</i>	blood-red	3	25	103	hlp	red	1	6-8	6
105	<i>Anthriscum annuum</i>	annual	6	...	107	ha	ycl.	$\frac{3}{4}$	7-8	3
106	<i>Antirrhinum Majus</i>	<i>Snapdragon</i> , tall	14	59	139	hpt	div.	2	6-9	3
107	— alba grandiflorum	— large white fl.	wh.	6
108	— albo-striatum	— striped white	w & r	6
109	— aurantiacum	— orange	or.	6
110	— caryophylloides	— Carnation-like	str.	3
111	— flavum	— yell. Carnation	6
112	— coccineum	— scarlet	sc.	3
113	— eximium	— choice	var.	6
114	— ochroleucum	— yellowish white	y. w.	3
115	— pictum	— painted	var.	3
116	— — —	Nos. 107 to 115	div.	...	2	6
117	— — —	splendid mixed	6
118	<i>Aquilegia canadensis</i>	Canadian	13	30	132	...	r & o.	...	5-7	3
119	— elatior	taller	$2\frac{1}{2}$...	3
120	— formosa	beautiful	2	...	6
121	— glandulosa	glandular	w & b	3
122	— sibirica plena	Siberian double	bl.	3
123	— Skinneri	Skinner's	y & s	6
124	— viridiflora	green-flowered	gr.	3
125	— — —	6 finest sorts	div.	...	1	6
126	— — —	finest mixed	6
127	<i>Arabis caucasica</i>	Caucasian	15	61	89	...	wh.	$\frac{3}{4}$...	3
128	— rosea	rose-coloured	rose	3
129	<i>Aradia japonica</i>	Japan	5	30	67	S.	1 0
130	<i>Ardisia crenulata</i>	crenulated	...	25	red	8	7-9	6
131	— umbellata	bunch-flowered	6	...	6
132	<i>Argemone grandiflora</i>	large-flowered	13	...	122	ha	wh.	2	7-8	6
133	— mexicana	Mexican	ycl.	3
134	— ochroleuca	yellowish white	pale	3
135	— — —	fine mixed	w & y	3
136	<i>Arméria formosa</i>	beautiful	5	30	125	hp	rose	1	...	6
137	<i>Artabotrys odoratissima</i>	sweetest-scented	13	25	65	S.	br.	6	6-8	1 0
138	<i>Arundinaria falcata</i>	sickle-shaped	3	26	98	...	gr.	1 0
139	<i>Asclepias curassavica</i>	Curassaa	5	...	69	sgl	sc.	$2\frac{1}{2}$	7-8	6
140	— ornata	ornamented	6
141	— tuberosa	tuberosus	or.	2	...	6
142	<i>Aster tenellus*</i>	slender*	19	51	85	hbt	bl.	3
143	<i>Athanasia annua</i>	annual	...	53	...	ha	ycl.	$\frac{3}{4}$...	3
144	<i>Anlax</i>	2 fine species	22	39	131	G.	...	2	7-9	1 0
145	<i>Azida indica</i>	Indian	5	25	93	S.	div.	3	5-7	1 0
146	— pontica	Pantic	hp	1 0
147	<i>Balsamina latifolia</i>	broad-leaved	...	30	70	G.	red	$1\frac{1}{2}$	6-9	6
148	<i>Baptisia australis</i>	southern	10	25	106	hp	bl.	$2\frac{1}{2}$	6-8	6
149	— perfoliata	perfoliated	G.	ycl.	3	7-8	6
150	<i>Bartonia aurea</i>	golden	13	...	110	ha	...	2	7-9	3
151	<i>Bauhinia</i>	4 fine species	10	...	106	S.	1 0
152	<i>Begonia fuchsoides</i>	Fuchsia-like	21	48	71	...	sc.	2	5-7	2 6
153	<i>Bignonia</i>	fine mixed	14	59	73	...	o & y	cl.	7-9	1 0
154	— radicans grandiflora**	large-flowered	hlp	or.	6
155	— stipularis**	stipuled	S.	1 0

<i>A — indicates a variety. () That the word is not literally translated, or is superadded.</i>		L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.							feet		s. d.
156	Blumebáchia insignis	beautiful	18 48	110	ha	wh.	tr.	7-8	6
157	Bomària acutifolia*	acute-leaved	6 25	64	hpt	r & y	cl.	6-9	6
158	— — — —	4 fine sorts**	div.	6
159	Brachycòme iberidifolia	Iberis-leaved	19 54	85	hha	bl.	1½	6-8	6
160	— alba	white	wh.	6
161	— albo-flava	white and yellow	w & y	6
162	— albo-lilacina	white and lilac	w & l	6
163	— cinerariæflora	Cineraria-flowered	div.	6
164	— lilacina flava	lilac and yellow	l & y	6
165	— striatiflora	striped	str.	6
166	— — — —	6 finest varieties	div.	2 6
167	— — — —	finest mixed	6
168	Brodiaea congesta	crowded-flowered	3 25	107	hp	bl.	1	7-8	6
169	Browallia demissa	spreading	14 59	139	gha	3
170	elata	tall	2	...	3
171	— alba	white	3
172	Brugmansia arborea	tree-(Datura)	5 25	143	G.	wh.	6	7-9	1 0
173	bicolor	two-coloured	s & y	1 0
174	Bubroma guazuma	Guazuma	18 45	76	S.	yel.	20	8-9	6
175	Caecilia coccinea*	scarlet	19 53	85	hha	sc.	¾	7-8	3
176	— aurantiaca*	orange	or.	3
177	Cactus	finest mixed	12 25	77	ghh	div.	div.	6-9	1 0
178	Calamipellis scabra**	rough (poddled)	14 59	73	G.	or.	cl.	...	6
179	Calandrinia discolor	two-coloured	11 25	129	hha	rose	1½	7-8	6
180	glandulosa	glandular	3
181	grandiflora	large-flowered	p. r.	1½	...	3
182	speciosa	showy	pur.	½	...	3
183	umbellata	bunch-flowered	cr.	6
184	Calceolaria pinnata	pinnate	2	139	...	yel.	1½	...	3
185	hybrida	(splendid spotted)	G. div.	2	...	1 0
186	sp. frutescens	fine shrubby	hlp†	yel.	...	6
187	Calliandroa platyglossa	(broad-rayed)	19 56	85	hha	...	1	...	3
188	Calliopsis (Corcopsis)	splendid mixed	...	55	...	div.	2	...	6
189	bicolor	two-coloured	y & r	3
190	Ackermanni	Ackermann's	o & r	3
191	— atrosanguinea	dark red	d. r.	3
192	— fistulosa	quilled	y & r	3
193	— grandiflora	large-flowered	3
194	— nigra speciosa	splendid dark	dark	3
195	— semiplena	semi-double	y & r	3
196	Drummondii*	Drummond's	y & d.	1	...	3
197	Atkinsoniæna	Atkinson's	hp	yel.	3	...	3
198	— — — —	Nos. 188 to 197	div.	2	...	2 0
199	Campánula carpatica	Carpathian	5 25	78	hpt	bl.	½	...	3
200	grandiflora	large-flowered	1	...	6
201	grandis	grand	3
202	macrantha	long-flowered	pur.	3	...	3
203	puleherrima	most beautiful	bl.	1	...	3
204	pyramidalis	pyramidal	l. bl.	3	...	3
205	— alba	white ditto	wh.	3
206	sibirica	Siberian	bl.	1	...	3
207	stricta	upright	1½	...	3
208	Trachelium, albiflora	white-flowered	wh.	2½	...	6
209	— bicolor plena	double two-coloured	w. bl.	6
210	— — — —	Nos. 199 to 209	div.	div.	...	3 0
211	— — — —	finest mixed	6
212	Lorei	Lore's	ha	bl.	1	...	3
213	— alba	white ditto	wh.	3
214	pentagonia	five-angled	bl.	3
215	— alba	white ditto	wh.	3

<i>A — indicates a variety. () That the word is not literally translated, or is superadded.</i>		L.	O.	N.	O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.		L.	O.	N.	O.	H. & Dur.	Col. of Fl.	feet		s. d.
216	<i>Canna angustifolia</i>	narrow-leaved	1	25	114	S.	sc.	2	5-6	6
217	<i>aurantiaca</i>	orange	or.	4	1-12	6
218	<i>coccinea</i>	scarlet	sc.	2	...	6
219	<i>flaccida</i>	flaccid	red	5	6-8	6
220	<i>floribunda</i>	bunch-flowered	6
221	<i>gigantea</i>	gigantic	r & y	5	1-12	6
222	<i>glauca</i>	sea-green	y & r	4	6-8	6
223	<i>humilis</i>	dwarf	6
224	<i>indica</i>	Indian	red	2	1-12	6
225	<i>iridiflora</i>	Iris-flowered	6	...	6
226	<i>leptochila</i>	slender-lipped	6
227	<i>lutea</i>	yellow	yel.	2	...	6
228	<i>picta</i>	painted	6
229	<i>procera</i>	noble	6
230	<i>speciosa</i>	showy	red	3	7-9	6
231	<i>spectabilis</i>	showy	6
232	<i>variabilis</i>	variable	var.	3	5-6	6
233	— — —	12 fine sorts	div.	div.	div.	5 0
234	— — —	6 do. do.	2 6
235	— — —	finest mixed	1 0
236	<i>Cardiospermum halicacabum</i>	(Balloon Vine)**	8	28	138	...	w & g	4	6-8	6
237	<i>Carthamus tinctorius</i>	(Bastard Safflower)	19	53	85	ha	or.	3	7-8	3
238	<i>maculatus</i>	spotted	spot	3
239	<i>Cassia corymbosa</i>	bunch-flowered	10	53	106	G.	yel.	4	...	6
240	<i>bicapsularis</i>	two-capsuled	S.	...	3	...	6
241	<i>Castilleja lithospermoides</i>	Lithospermum-like	14	59	139	hha	...	2	...	6
242	<i>Catananche lutea</i>	yellow	19	53	85	ha	yel.	1	...	3
243	<i>caerulea</i>	blue	hpt	bl.	2	...	3
244	— bicolor	two-coloured	w & b	3
245	<i>Celastrus, sp. ex Assam</i>	species from Assam	5	25	81	G.	1 0
246	<i>Celsia Areturus</i>	Arclurus	14	59	143	hbt	yel.	4	7-8	3
247	<i>eretica</i>	Cretan	6	...	3
248	<i>incarnata</i>	flesh-coloured	hht	fl.	1½	...	3
249	<i>lanata</i>	woolly	yel.	2	...	3
250	<i>orientalis</i>	oriental	ha	...	1½	...	3
251	<i>Centanea americana</i>	American	19	55	85	hha	red	3	8-10	6
252	<i>atropurpurea</i>	dark purple	hpt	d r.	2	7-8	3
253	<i>depressa</i>	dwarf	ha	b & r	1	...	3
254	<i>macrocephala</i>	long-headed	hp	yel.	3	...	3
255	<i>pulchra</i>	prelly	ha	6
256	— — —	fine mixed	hpt	div.	div.	div.	6
257	<i>Centranthus macrosiphon</i>	long-tubed	1	25	149	6
258	<i>Ceanothus azureus</i>	azure	5	...	134	G.	p & bl	10	5-7	6
259	<i>Chaenostoma polyanthum</i>	many-flowered	14	59	139	hht	lil.	¾	7-8	6
260	<i>fastigiatum</i>	bunch-flowered	red	6
261	<i>viscosum</i>	viscid	6
262	<i>Chelidonium barbata</i>	bearded	hpt	sc.	2	...	6
263	<i>Chironia</i>	3 Cape species	5	25	99	G.	div.	...	6-8	6
264	<i>Chorozema ilicifolia</i>	Italy-leaved	10	...	106	...	y & r	6
265	<i>rhombica</i>	rhomboid	yel.	6
266	<i>spectabilis</i>	showy	var.	6
267	<i>Cineraria argentea</i>	silvery	19	54	85	hht	3
268	<i>cruenta pl. var.</i>	(splendid 50 var.)	G.	div.	2½	5-6	1 0
269	<i>Circium pulcherrimum</i>	most beautiful	...	55	6
270	<i>Cistus albidus</i>	(white-leaved)	13	25	82	fgh	p & p	2	6-7	6
271	<i>crispus</i>	curled	pur.	6
272	<i>laurifolius</i>	laurel-leaved	wh.	3	...	6
273	<i>Ledon</i>	Ledan	1½	...	6
274	<i>monspeliensis</i>	Mantpetier	3	...	6
275	<i>salvifolius</i>	Sage-leaved	2	...	6
276	— — —	finest mixed	w & p	div.	...	6

<i>A—indicates a variety. () That the word is not literally translated, or is superadded.</i>		Cl.	L.	O.	N.	O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.									feet		s. d.
277	Cladanthus arábicus	Arabian	19	54	85	ha	ycl.	1	7-8		3
278	Clarkia elegans	elegant	8	25	119	...	li.	1½	...		3
279	— rōsea	rose-coloured	rose		3
280	— — flore plēna	double	l & r		3
281	— — nāna	dwarf	rose		3
282	pulchella	pretty	1	...		3
283	— atropurpūrea	dark purple	d. p.		6
284	— alba	white	wht.		3
285	— fimbriāta	fringed		3
286	— grandiflōra	large-flowered	red		3
287	— — alba	large white	wh.		6
288	— — —	Nos. 278 to 287	div.	div.	...	2	6
289	Clématis Flammula**	flame (fragrant)	13	35	132	hlp	wh.	cl.	6-9		6
290	Pallasi**	Pallas's		6
291	Vitalba**	Traveller's Joy		6
292	Cleōme arbōrea	tree-like	15	61	79	S.	...	8	6-8		6
293	pentaphylla	five-leaved	2	7-8		3
294	spinōsa	spiny	hltb	rose		3
295	— — —	fine mixed	div.	w & r	...		6
296	Clianthus puniceus	crimson	17	45	106	G.	cr.	8	...		6
297	Clintōnia elegans	elegant	16	40	111	hha	bl.	1½	...		3
298	pulchella	pretty (extra fine)	3col.		6
299	Clitōria Ternātea**	(beautiful)	17	15	106	S.	bl.	cl.	...	1	0
300	— mariāna**	Maryland	G.		6
301	— — —	species Florida		6
302	Cobaea scandens**	climbing	5	25	83	...	pur.		6
303	Cochleāria acaulis	stemless	15	60	89	hpt	li.	¼	...		6
304	Cōix lachryma	(Job's Tears)	21	38	98	S.	gr.	2	6-7		6
305	Colchicum autumnāle	autumnal	6	28	121	hp	div.	¼	8-10		6
306	Colebrookia tenuifolia	fine-leaved	14	59	150	G.	wh.	3	6-7		6
307	Collinsia grandiflōra	large-flowered	139	ha	p & b	1	7-8		3
308	bicolor	two-coloured	w & p	1½	...		3
309	— atrorubens	dark red	red		3
310	heterophylla	various-leaved	w & c		3
311	verna	vernal	b & p.	1	...		3
312	Collōmia coccinea	scarlet	5	25	126	...	sc.		3
313	— grandiflōra	large-flowered	buff		3
314	Commelina celestis	sky-blue	3	...	84	hltb	bl.		6
315	— albiflōra	white	wh.		6
316	Convallāria	2 fine species	6	...	142	hp	...	½	5-6		3
317	Corydalis glauca	sea-green	17	41	96	ha	p & y.	2	7-8		3
318	Cosmanthus fimbriatus	fringed	5	25	102	fgh		6
319	Cosmea bipinnata	bipinnate	19	55	85	hha	pur.	2	8-10		3
320	— purpūrea grandiflōra	large purple-flower'd		6
321	Cratægus, sp. ex Assam	Assam species	12	27	135	S.	1	0
322	Crœus vernus	Spring	3	25	103	hp	div.	¾	3-4		6
323	Crotalāria elegans	elegant	16	45	106	G.	ycl.	3	6-8	1	0
324	— latifolia	broad-leaved	S.		6
325	Crucianella stylōsa	large-styled	4	25	136	hpt	pink	¼	...		6
326	Cūcumis Dudāim	apple-shaped	21	49	90	fa	ycl.	tr.	6-9		6
327	— flexuōsa	(snake)		6
328	— prophetarum	prophets'		6
329	Cūphca platycentra	broad-centred	11	25	113	hh	so.	1½	7-8		6
330	— procumbens	proeumbent	p & p.		3
331	— silenoides	Silene-like	c & y.		6
332	— strigulōsa	strigulose	s & y.		6
333	— — —	Nos. 329 to 332	div.	1	6
334	Cyclamen persicum	Persian	5	...	130	hltb	rose	½	6-9		6
335	— — —	fine mixed	div.		6
336	Cynoglossum glochidatum	glochidate	75	hp	bl.	3	7-8		3

<i>A — indicates a variety. () That the word is not literally translated, or is superadded.</i>			L.	Ci.	L.	O.	N.	O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.											feet		s. d.
397	<i>Dianthus caucasicus</i>	<i>Caucasian (Pink)</i>	10	26	141	hpt	pur.	1	6-8				6
398	<i>eliensis*</i>	<i>(Indian Pink) 20 var.</i>	hbt	div.	6
399	— <i>albiflorus</i>	<i>white-flowered</i>	wh.	6
400	— <i>plenus</i>	<i>double</i>	div.	6
401	<i>eruentus</i>	<i>blood-red</i>	bpt	red	6
402	<i>decussatus</i>	<i>decussate</i>	$\frac{3}{4}$	3
403	<i>deltoides</i>	<i>(Maiden Pink)</i>	fl.	3
404	— <i>albus</i>	<i>white</i>	wh.	3
405	<i>giganteus</i>	<i>gigantic</i>	hbt	red	2	3
406	<i>guttatus*</i>	<i>spotted</i>	w & r	$\frac{1}{2}$	3
407	<i>hispanicus*</i>	<i>Spanish</i>	div.	1	3
408	<i>imperialis</i>	<i>imperial</i>	6
409	<i>japonicus</i>	<i>Japan</i>	hpt	se.	6
410	<i>latifolius*</i>	<i>broad-leaved</i>	hbt	div.	3
411	<i>moschatius</i>	<i>(Garden Pink)</i>	hp	w & p	3
412	— <i>flöre-pleno</i>	<i>double ditto</i>	1 0	
413	<i>plumarius</i>	<i>feathered Pink</i>	6
414	<i>pulchellus</i>	<i>pretty</i>	hbt	div.	3
415	<i>superbus</i>	<i>superb</i>	hpt	li.	1 $\frac{1}{2}$	3
416	— <i>hy'bridus</i>	<i>(new hybrid)</i>	div.	6
417	— — —	<i>8 finest sorts</i>	div.	...	div.	2 6	
418	<i>Didiscus cæruleus</i>	<i>blue</i>	5	25	148	hha	bl.	2	7-8				6
419	<i>Digitalis aurea</i>	<i>golden</i>	14	59	139	bp	yel.	1 $\frac{1}{2}$	7-9				3
420	<i>grandiflora</i>	<i>large-flowered</i>	3
421	<i>lanata</i>	<i>woolly</i>	buff	3
422	<i>nierantha</i>	<i>small-flowered</i>	3
423	<i>purpurea</i>	<i>purple</i>	pur.	3	3
424	— <i>alba</i>	<i>white</i>	wb.	3
425	— <i>bicornuta</i>	<i>two-horned</i>	3
426	— <i>punctata</i>	<i>spotted</i>	spot.	3
427	— <i>rosea</i>	<i>rose</i>	rose	3
428	— — —	<i>6 finest sorts</i>	div.	div.	1 6	
429	— — —	<i>fine mixed</i>	3
430	<i>Dillwy'ua glycinifolia</i>	<i>Glycine-leaved</i>	10	25	106	G.	o & r.	2	4-6				6
431	<i>Diplacus puniceus</i>	<i>crimson-searlet</i>	14	59	139	hbt	sc.	...	7-8				6
432	<i>Dodecatheon Meadia</i>	<i>Meadia</i>	5	25	130	G.	div.	1	6
433	<i>gigantea elegans</i>	<i>elegant</i>	1 $\frac{1}{2}$	6
434	<i>Dolichos lignosus**</i>	<i>lignous</i>	17	45	106	...	pur.	cl.	6
435	<i>speciosus**</i>	<i>showy</i>	S.	1 0	
436	<i>Dracocephalum argunense</i>	<i>Argune</i>	14	58	105	hpt	bl.	1 $\frac{1}{2}$	6
437	<i>austriacum</i>	<i>Austrian</i>	3
438	<i>canariense</i>	<i>(Balm of Gilead)</i>	hbt	r & p	3
439	<i>canescens</i>	<i>hoary</i>	hpt	bl.	3
440	<i>superbum</i>	<i>superb</i>	6
441	<i>Duranta Plumieri</i>	<i>Plumier's</i>	P.	59	150	S.	...	12	9-10			1 0	
442	<i>Echium grandiflorum</i>	<i>large-flowered</i>	5	25	75	ha	...	2	7-8				3
443	<i>Elichrysium macranthum</i>	<i>long-flowered</i>	19	54	85	hha	rose	3
444	<i>bracteatum</i>	<i>(yell. Xeranthemum)</i>	yel.	3
445	— <i>album</i>	<i>(white ditto)</i>	wh.	3
446	<i>robustum</i>	<i>robust (mixed)</i>	w & y	6
447	— — —	<i>Nos. 443 to 446</i>	div.	1 0	
448	— — —	<i>finest mixed</i>	6
449	<i>Elsholtzia cristata</i>	<i>erected</i>	14	59	105	ha	rose	1 $\frac{1}{2}$	5-7				3
450	<i>Epæris microphylla</i>	<i>single-leaved</i>	5	25	92	G.	...	2	1 0
451	<i>Epiphyllum</i>	<i>6 fine species</i>	12	...	77	S.	div.	div.	div.	1 0
452	<i>Eranthis hyemalis</i>	<i>winter (Aeonite)</i>	13	55	132	hp	yel.	$\frac{1}{2}$	1-3				6
453	<i>Erica</i>	<i>20 sp. separate</i>	8	25	93	G.	div.	div.	div.	7 6
454	— — —	<i>50 fine species m.</i>	2 6
455	<i>Erinus alpinus</i>	<i>alpine</i>	14	59	139	hp	li.	$\frac{1}{2}$	4-6				3
456	<i>Eriostemon buxifolium</i>	<i>Box-leaved</i>	10	25	137	G.	pink	2 $\frac{1}{2}$	5-6				1 0

<i>A — indicates a variety. () That the word is not literally translated, or is superadded.</i>			L.	O.	N.	H.	Dur.	Col.	of Fl.	Hght.	M. of Flow.	Price.
No.			L.	O.	N.	H.	Dur.	Col.	of Fl.	Hght.	M. of Flow.	Price.
457	<i>Eriostemon salicifolium</i>	<i>willow-leaved</i>	10	25	137	G.	red	3	5-7	1	0	
458	<i>Eryngium alpinum</i>	<i>alpine</i>	5	26	148	hp	bl.	2	7-8		3	
459	<i>giganteum</i>	<i>gigantic</i>	4	6	
460	<i>Erysimum Peroffskianum</i>	<i>Peroffski's</i>	15	61	89	ha	or.	1½	6-7	3		
461	<i>Erythrina crista-galli</i>	<i>Cock's-comb</i>	17	45	106	S.	sc.	6	5-7	1	0	
462	<i>Eschscholtzia crœcea</i>	<i>orange</i>	13	29	122	hpt	or.	1½	6-7	3		
463	<i>californica</i>	<i>Californian</i>	yel.	3		
464	<i>compacta</i>	<i>compact</i>	3		
465	— — —	<i>mixed</i>	y & o.	3		
466	<i>Eucharidium concinnum</i>	<i>neat</i>	8	25	119	ha	pur.	1	7-8	3		
467	<i>grandiflorum</i>	<i>large-flowered</i>	3		
468	<i>Euphorbia variegata</i>	<i>variegated</i>	11	28	94	hha	8-9	6		
469	<i>Eutœcia divaricata</i>	<i>divaricate</i>	5	25	119	ha	li.	...	7-8	3		
470	<i>multiflora</i>	<i>many-flowered</i>	lav.	3		
471	<i>viscida</i>	<i>viscid (fine)</i>	bl.	3		
472	<i>Wrangeliana</i>	<i>Wrangel's</i>	li.	3		
473	<i>Eragrostis elegans</i>	<i>elegant</i>	3	26	98	...	gr.	...	5-7	3		
474	<i>Fœdia cornucopiæ</i>	<i>(Horn of plenty)</i>	2	25	105	...	red	1	7-8	3		
475	<i>Fœlicia affinis</i>	<i>related</i>	6		
476	<i>Frœncœa appendiculata</i>	<i>appendicled</i>	8	29	97	hbt	pink	2	7-8	6		
477	<i>Fritillaria imperialis</i>	<i>(Crown Imperial)</i>	6	25	107	hp	div.	3	5-6	6		
478	<i>mcleagris</i>	<i>(Fritillary)</i>	1	...	6		
479	<i>Fuchsia</i>	<i>splendid mixed</i>	8	...	119	G.	...	div.	6-9	1	0	
480	<i>Fumaria spicata</i>	<i>spiked (flowered)</i>	17	41	96	ha	fl.	6	7-8	6		
481	<i>Galœga orientalis</i>	<i>oriental</i>	16	45	106	hp	bl.	3	6-9	3		
482	<i>Gaillardia coronata ?</i>	<i>garland</i>	19	55	85	hbt	...	1½	...	6		
483	<i>picta (Drummondii)</i>	<i>painted</i>	y & s	6		
484	— <i>coccinea</i>	<i>scarlet</i>	sc.	6		
485	— <i>fistulosa</i>	<i>quilled</i>	6		
486	— <i>nana</i>	<i>dwarf</i>	y & s	1	...	6		
487	— <i>Wellsiana</i>	<i>Wells's</i>	1½	...	6		
488	— — —	<i>Nos. 482 to 487</i>	2	6	
489	<i>Gardœnia Thunbergiana</i>	<i>Thunberg's</i>	5	25	136	G.	p & w	6	3-7	1	0	
490	<i>Genista</i>	<i>fine species</i>	16	45	106	...	yel.	3	6-7	6		
491	<i>Gentiana acaulis</i>	<i>stemless</i>	5	26	99	hpt	bl.	½	4-7	6		
492	<i>Amarella</i>	<i>Amarella</i>	ha	pur.	...	7-8	6		
493	<i>campestris</i>	<i>field</i>	6		
494	<i>cruciata</i>	<i>crossed</i>	hpt	bl.	1	6-7	6		
495	<i>hybrida</i>	<i>hybrid</i>	y & p	2½	...	6		
496	<i>macrophylla</i>	<i>large-leaved</i>	bl.	1	...	6		
497	— — —	<i>finest mixed</i>	div.	div.	...	6		
498	<i>Geranium sylvaticum</i>	<i>syrian</i>	16	42	100	hltpt	bl.	1½	5-7	6		
499	— — —	<i>fine mixed</i>	div.	div.	5-8	6		
500	<i>Gœsnœria</i>	<i>splendid mixed</i>	14	59	101	S.	...	1½	6-8	1	0	
501	<i>Gœum cœcineum</i>	<i>scarlet</i>	12	35	135	hpt	sc.	2	6-9	3		
502	— <i>atrosanguineum</i>	<i>dark red</i>	d. s.	6		
503	— <i>splendens</i>	<i>splendid</i>	l. s.	6		
504	— — —	<i>fine mixed</i>	div.	6		
505	<i>Gilia achillœfolia</i>	<i>Milfoil-leaved</i>	5	25	126	ha	bl.	1½	7-8	3		
506	<i>capitata</i>	<i>head-flowered</i>	3		
507	— <i>alba</i>	<i>white</i>	wh.	3		
508	<i>nivalis*</i>	<i>snow-white</i>	1	6-7	3		
509	<i>tricolor*</i>	<i>three-coloured</i>	3col.	3		
510	— <i>alba*</i>	<i>white</i>	wh.	3		
511	— <i>splendens*</i>	<i>splendid</i>	rose	3		
512	— — —	<i>Nos. 505 to 511</i>	div.	1	6	
513	— — —	<i>mixed</i>	3		
514	<i>Gladiolus gandavensis</i>	<i>Ghent</i>	3	...	103	fgh	s & y	2	7-9	6		
515	<i>floribundus</i>	<i>many-flowered</i>	w & r	3		
516	<i>Herbertianus</i>	<i>Herbert's (hybrids)</i>	div.	1	0	
517	— <i>cœcineus nans</i>	<i>dwarf scarlet</i>	sc.	1	...	6		

<i>A — indicates a variety. () That the word is not literally translated, or is superadded.</i>		Cl.	L.	O.	N.	O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.									feet	s. d.	
518	Gloxinia	(finest mixed)	14	59	101	S.	div.	1½	6-8	1	0
519	Gnaphalium grandiflorum	large-flowered	19	54	85	G.	wh.	3	7-8		6
520	Godetia (Ecnothera)	(finest mixed)	8	25	119	ha	div.	1	6-7		3
521	bifrons	two-fronted	p & c.		3
522	insignis	remarkable	spot.		3
523	Lehmanni	Lehmann's	var.		3
524	lépida	pretty	li.		3
525	Lindleyana	Lindley's	w & r		3
526	purpurea	purple	pur.		3
527	quadrivulnera	four-spotted	4col.		3
528	roseo-alba	rose and white	r & w		3
529	rubicunda	blushing	d. c.		3
530	tennifolia	fine-leaved	vio.		3
531	vinifera	twiggy	li.	1½	...		3
532	vinosa	(wine-coloured)	clar.		3
533	Willdenovii	Willdenow's	vio.		3
534	— — —	10 fine sorts	div.	2	0
535	Goodia lotifolia	Lotus-leaved	16	45	106	G.	yel.	3	6-7		6
536	pubescens	pubescent		6
537	Grammanthes gentianoïdes	Gentian-like		6
538	Grislea tomentosa	woolly	8	25		S.	red	3	5-6		6
539	Gypsophila elegans	elegant	10	26	141	ha	w & p	½	7-8		3
540	Hebenstreitia sp. fragrans	fragrant	14	59	150	hha	wh.	1	...		6
541	Hedy'chium Gardnerianum	Gardner's	5	25		S.	yel.	6	6-9	1	0
542	Hedy'sarum canadense	Canadian	17	45	106	hp	pur.	...	7-8		3
543	pietum	painted (leaved)	S.	...	3	...		6
544	pulehellum	pretty		6
545	vespertilionis	Bat	wh.	2	7-8		6
546	— — —	fine mixed	div.	div.	...		6
547	Helénium Douglassii	Douglas's	19	54	85	ha	yel.	...	7-8		3
548	Helianthemum guttatum	spotted	13	25	82	½	...		3
549	— — —	splendid mixed	hpt	div.	1	...		6
550	Helicteres pulehra	beautiful	16	45	74	S.	6-8	1	0
551	— — —	fine mixed		1
552	Helio'phila arabioïdes	Arabis-like	15	61	89	hha	bl.	½	6-8		6
553	stricta	upright		6
554	trifida	thrice-cut	pur.		6
555	Heliotropium peruvianum	Peruvian	5	25	75	fgh	bl.	2	...		3
556	grandiflorum	large-flowered		3
557	Voltaireanum	Voltaire's	vio.		6
558	Helleborus niger major	larger black	13	55	132	hp	pink	1	1-5		6
559	Hemimeris montana	mountain	14	29	139	hha	red	½	7-9		6
560	Hibiscus africanus	African	16	48	115	...	y & d	2	...		3
561	calisireus	(large new)		3
562	Humboldtii	Humboldt's		3
563	palustris	marsh (mixed)	hlp	r & w	3	...		6
564	Fullerianus	Fuller's	G.		6
565	grandiflorus albus	large-flowered white	wh.	3	...		6
566	insignis	beautiful	rose	2	...		6
567	Lampas	lamp	S.	pink	10	...		6
568	macrophyllus	long-leaved	yel.		6
569	maculatus	spotted		6
570	Manihot	Manihot	G.	y & p	2	...		6
571	militaris	military (armed)	pur.		6
572	Moscheutos	Moscheutos	hlp	wh.		6
573	— roseus	— rose-coloured	rose		6
574	mutabilis	variable	S.	w & p	10	...		6
575	phœniceus	purple	pur.	6	...		6
576	speciosus	showy	G.	se.	3	...		6
577	splendens	splendid	rose	8	...		6

<i>A — indicates a variety. () That the word is not literally translated, or is superadded.</i>				L. Ci.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght. feet	M. of Flow.	Price. s. d.
No.											
578	Hibiscus spicatus	spiked		16	48	115	S.			7-9	6
579	tortuosus	twisted		6
580	virginicus	Virginian		hhp†	red	3	...	6
581	syriacus	Syrian		div.	6	...	6
582	— — —	6 very fine sorts		G.			2	6
583	— — —	fine mixed					1	0
584	Hlvea Celsi	Cels's		...	45	106	G.	bl.	6	6-8	1
585	Humea elegans	elegant		19	53	85	hb†	red	5	6-9	6
586	Hyacinthus orientalis	oriental		6	25	107	hp	div.	1	5-6	6
587	Hydrlea spinosa	spiny		5	26	87	fgh	bl.	1	6-7	6
588	Hypericum elegans	elegant		18	48		hp	yel.	1½	...	3
589	Iberis Tenoreana	Tenore's		15	60	89	hp†	red	1	6-8	6
590	Impatiens glanduligera	glandular		5	25	70	hha	...	2½	7-8	3
591	flöre-albo	white		wh.	3
592	Incarvillea grandiflora	large-flowered		14	59	73	G.	or.	cl.	6-9	6
593	Indigofera	4 fine species		17	45	106	...	div.	2-3	7-8	6
594	Ipomæa coccinea**	scarlet		5	25	87	ghh	se.	cl.	7-9	3
595	Batatas**	Batatas		pur.	6
596	böna-nox**	Good Night!		wh.	6
597	dissecta**	cut		se.	6
598	Lindleyi**	Lindley's		1
599	lutæola**	yellowish		yel.	6
600	Quamoclit**	Quamoclit		sc.	6
601	— flore-albo**	white		wh.	1
602	rubro-earula**	(splendid blue) true		bl.	1
603	tyrianthina**	(Tyrian-purple)		1
604	sp. ex. Arabia**	Arabian species		1
605	— — —	8 finest sorts		div.	7
606	sp. ex. Assam**	Assam species		1
607	Nil**	(Anil-blue?)		hha	bl.	6
608	purpurea grandiflora**	large-flowered pur.		pur.	6
609	— kermesina**	crimson		cr.	6
610	Ipomopsis elegans	elegant		5	25	126	hhb†	se.	2	...	6
611	picta	painted		6
612	— aurantiaca	orange		or.	6
613	— Beyrichii	Beyrich's		d. s.	6
614	— superba	superb		se.	1
615	— — —	fine mixed		o & s.	1
616	Iris xiphoides	(splendid English)		3	...	103	hp	div.	1½	7-8	1
617	Isotoma axillaris	axillary		5	...	111	fgh	bl.	...	6-8	6
618	Ixia viridiflora	green-flowered		3	...	103	hhp	gr.	...	5-6	6
619	— — —	splendid mixed		div.	1	...	6
620	Jasminum fruticans	shrubby		2	...	104	...	yel.	3	5-9	6
621	Jurènia alata	winged		6
622	Justicia speciosa	showy		2	...	62	S.	pur.	4	8-9	6
623	Kaulfussia amelloides	Amellus-like		19	54	85	ha	bl.	¾	7-8	3
624	Kennèdyia Marryattæ	Mrs. Marryatt's		17	45	106	G.	se.	cl.	7-9	1
625	— monophylla	single-leaved		6
626	rubicunda	blushing		red	6
627	— grandiflora nova	— new large		6
628	— — —	finest mixed		div.	1
629	Lantana Scelloviana	Sellow's		14	59	150	hhp	pur.	1½	7-8	6
630	Cammaria	Cammaria		S.	or.	6	6-9	6
631	trifolia	three-leaved		pur.	3	...	6
632	— — —	fine mixed		hh	6
633	Lasthènia californica	Californian		19	54	85	ha	yel.	1½	7-8	3
634	Láthyrus azureus major	larger blue-flowered		17	45	106	...	bl.	2	...	3
635	latifolius**	(Everlasting Pea)		hp†	red	cl.	...	3
636	— albus**	white		wh.	3
637	Lawsônia inermis	(Tree Mignonette)		8	25		S.	...	8	6-8	1

<i>A — indicates a variety. () That the word is not literally translated, or is superadded.</i>		L.	Ci.	L.	O.	N.	O.	H. & Dur.	Col.	of Fl.	Hght.	M. of Flow.	Price.
No.											feet		s. d.
638	Leptósiphon densiflorus	thick-flowered	5	25	126	ha	pur.	7-8	...	3
639	androsæceus	Androsace-like	div.	1	...	3
640	— albus	white	wh.	3
641	— lilacinus	lilac	li.	3
642	Lucadendron argenteum	silvery	22	39	131	G.	ycl.	12	8-9	1	0	...	1
643	— — —	finest mixed	1
644	Leuceria scencioïdes	Senecio-like	19	56	85	ha	wh.	1	7-8	...	6	...	6
645	Leycesteria formosa	beautiful	5	25	80	hp	w&p	7-9	...	6
646	Leucospermum	4 fine species	4	25	131	G.	ycl.	div.	1	0	...
647	Liätis heterophylla	various-leaved	19	53	85	hp	pur.	3	7-8	...	6	...	6
648	Limnanthes Douglassii	Douglas's	10	25	108	ha	w&y	3	3	...	6
649	— grandiflora	large-flowered	1	6	...	6
650	Linaria alpina	alpine, 2 var. sep.	14	59	139	hpt	b & y	6-9	...	6
651	triornithophora	3 birds-bearing	pur.	6
652	Limn. austriacum	Austrian	5	30	109	...	bl.	7-8	...	3
653	— grandiflorum	large-flowered	3
654	— album	white do.	3
655	nervosum	nerved	l. b	1½	3	...	3
656	perenne	perennial	bl.	2	3	...	3
657	Lisianthus Russellianus	Russell's	5	25	99	G.	pur.	3	6	...	6
658	nigricans	blackish	dark	6
659	Loasa aurantiaca**	orange	18	48	110	hbp	or.	cl.	3	...	6
660	contorta**	twisted	6
661	Herbertii**	Herbert's	d. o.	6
662	Pentlandica**	Penland's	or.	6
663	— — —	finest mixed	6
664	tricolor	three-coloured	ha	3 col.	2	3	...	3
665	Lobelia Erinus	Erinus	5	25	111	hbp	bl.	¾	6-8	...	3	...	3
666	decumbens	reclining	½	3	...	3
667	erinoides	Erinus-like	hht	3
668	— compacta	compact	6
669	— grandiflora	large-flowered	6
670	— rosea	rose-coloured	3
671	gracilis*	slender	hba	...	1	3	...	3
672	— alba*	white	wh.	3
673	heterophylla	various-leaved	hbp	bl.	1½	6	...	6
674	— major	larger	6
675	propinqua	related	6
676	ramosa	branching	d. bl.	6
677	cardinalis	(scarlet)	G.	sc.	3	6	...	6
678	ignea	fire-coloured	6
679	siphilitica	(large blue)	l. bl.	2	6	...	6
680	Lonicea alpigena	alpine	80	hp	ycl.	6	5-6	...	6	...	6
681	Lopèzia coronata	erown-flowered	1	...	119	ha	red	2	7-8	...	3	...	3
682	racemosa	bunch-flowered	3
683	Lophochium hirtum	hairy	19	54	85	hha	ycl.	6	...	6
684	Lophospermum scandens**	climbing	14	59	139	G.	rose	cl.	7-9	...	6	...	6
685	Hendersoni**	Henderson's	6
686	— spectabile**	showy (spotted)	spot.	6
687	— — —	finest mixed**	var.	6
688	Lötus jacobæus	St. James' Island	17	45	106	gha	dark	1	7-8	...	6	...	6
689	Lupinus bicolor	two-coloured	16	45	...	ha	p&b.	3	...	3
690	Hartwegii	Hartweg's	h&w	1½	3	...	3
691	leptophyllus	slender-leaved	b.&l.	1	3	...	3
692	mexicanus	Mexican	hl.	1½	3	...	3
693	mutabilis	variable	var.	2	3	...	3
694	— Cruickshanksii	Cruickshanks's	2	3	...	3
695	nanus*	dwarf	p&b.	1	3	...	3
696	pulehellus	pretty	b. p.	3	3	...	3
697	arborcus	tree-like	hpt	div.	4	3	...	3

<i>A — indicates a variety. () That the word is not literally translated, or is superadded.</i>			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
698	Lupinus elegans	elegant	16	45	106	hp†	b&r.	2	7-8	6
699	lepidus	pleasing	b&p.	1½	...	3
700	ornatus	ornate	li. r.	2	...	6
701	polyphyllus	many-leaved	bl.	3	...	3
702	— albus	white do.	wh.	3
703	— speciosus	showy do.	var.	3
704	— — —	6 finest sorts	div.	2-3	1	6
705	— — —	mixed perennial	6
706	Lusania calycina	(large-calyxed)	14	59	139	...	wh.	1½	...	3
707	Lychnis corsica	Corsican	10	31	141	...	red	1	...	3
708	chalcidonica	(scarlet)	se.	2	...	3
709	— alba	white	wh.	3
710	flos-Jovis	Jove's Flower	red	1½	...	3
711	fulgens	glowing	se.	1	...	6
712	Lythrum alatum	winged	11	25	113	...	pur.	1½	5-9	3
713	roscum superbum	superb rose	rose	6
714	Madia elegans	elegant	19	54	85	hha	yel.	3	7-8	3
715	Magnolia grandiflora	large-flowered	13	35	120	hp	wh.	15	7-9	6
716	tripetala	three-petaled	20	6-8	6
717	Mahonia aquifolium	Holly-leaved	6	25	72	...	yel.	6	5-6	6
718	Málope trifida	thrice-cut	16	48	115	ha	red	2	7-8	3
719	— grandiflora	large-flowered	3
720	— — alba	white	wh.	3
721	— — purpurea	purple	pur.	3
722	Malva elegans	elegant	G.	se.	6
723	moschata	musk	hp†	flesh	3
724	Moroni	Moroni's	red	3
725	sempervirens	evergreen	3
726	mauritiiana (zebrina)	striped	ha	stri.	3
727	Mandevilla suaveolens**	fragrant	6
728	Martynia craniolaria	skull-like	14	59	140	hha	wh.	2½	7-8	6
729	fragens formosa	beautiful	var.	6
730	lutea	yellow	yel.	6
731	proboscidea	proboscis	w&p	3
732	Manrandya Barclayana**	Barclay's	139	G.	b. w.	el.	4-9	6
733	— albiflora**	white-flowered	wh.	6
734	— rosea superba**	superb rose	rose	6
735	semperflorens**	ever-flowering	p. r.	6
736	— — —	finest mixed	div.	6
737	— — —	Nos. 732 to 736	2	0
738	Mesembryanthemum glabrum	smooth	12	27	95	hha	yel.	¾	6-8	6
739	pomeridianum	afternoon	1	...	6
740	tricolor (pyropæum)	three-coloured	red	½	...	6
741	— album	white	wh.	6
742	— — —	Nos. 738 to 741	div.	...	1	6
743	Metrosideros, sp. australis	Australian	12	25	116	G.	yel.	5	5-7	6
744	Mimosa marginata**	marginated	23	51	106	...	pur.	2	6-8	6
745	— — —	3 fine species	6
746	Mimulus cardinalis	scarlet	14	59	139	hlp†	se.	1½	7-8	3
747	— atrosanguineus	dark blood-red	d. s.	6
748	— croceus	orange	or.	6
749	— — —	fine mixed	div.	6
750	Hendersoni	Henderson's	sp.	6
751	roseus	rose-coloured	r.	1	...	6
752	speciosus et moschatus	showy and Musk	3
753	Thompsonianus	Thompson's	6
754	— — —	fine mixed	div.	6
755	Momordica Balsamina**	(Balsam Apple)	21	49	90	gha	yel.	cl.	6-8	6
756	Charantia**	Charantia	6
757	Morina elegans	elegant	1	0

A — indicates a variety. () That the word is not literally translated, or is superadded.

No.		L.	Cl.	L.	O.	N.	O.	H. & Dur.	Col. of Fl.	Hght. feet	N. of Flow.	Price. s.d.
758	<i>Morina longiflora</i>											1 0
759	<i>Moschardia pinnatifida</i>			19	53	85		ha	yel.	$\frac{1}{2}$	7-8	6
760	<i>Myosotis alpestris</i>			5	25	75		hpt	bl.	...	6-9	6
761	scorpioides			6
762	<i>Narcissus</i>			6	...	64		hp	w & y	$\frac{1}{4}$	5-6	6
763	<i>Nelumbium luteum</i>			13	35	118		G.	yel.	tr.	6-9	6
764	<i>Nemesis floribunda</i>			14	59	139		hha	w & y	$\frac{1}{2}$	7-8	6
765	strumosa			6
766	<i>Nemophilila aurita</i>			5	25	102		ha	pur.	2	7-8	3
767	atomaria*			wh.	$\frac{3}{4}$...	3
768	— coelestis*			bl.	3
769	discoidalis			blek.	3
770	insignis*			bl.	3
771	— alba*			wh.	3
772	— grandiflora*			bl.	3
773	— punctata*			w & b	6
774	phacelioides				hpt	vio.	1	...	6
775	— — —			div.	2 0
776	<i>Nicotiana</i>			143		hha	...	1-2	...	6
777	<i>Nigella hispánica</i>			13	30	132		ha	bl.	1	...	3
778	<i>Nivènia</i>			4	25	131		G.	p & p	3	...	1 0
779	<i>Nolana atriplicifolia</i>			5	...	143		hha	b w y	1	...	3
780	paradoxa			bl.	3
781	prostrata			tr.	3
782	tenella			1	...	3
783	<i>Nõnca ròsca</i>			75		ha	pink	$1\frac{1}{2}$...	3
784	<i>Nycteria capensis</i>			14	59	139		hpt	wh.	$\frac{3}{4}$	6-7	6
785	<i>Nymphaea alba</i>			13	25	118		hp	...	tr.	6-8	6
786	<i>Enothera acaulis</i>			8	...	119		hpt	...	$\frac{1}{2}$	5-8	3
787	bicnnis			yel.	2	7-8	3
788	alata			3
789	<i>Drummondii</i> *				hpt	yel.	1	...	6
790	concinna*				ha	p & r	$\frac{1}{4}$...	3
791	densiflora			pur.	3
792	macrantha				hha	wh.	$1\frac{1}{2}$...	6
793	macrocarpa				hp	yel.	2	...	6
794	odorata				hpt	3
795	ròsca			rosc	$\frac{3}{4}$...	3
796	Sellowii			yel.	1	...	3
797	speciosa				hha	wh.	$1\frac{1}{2}$...	6
798	stricta			yel.	3
799	<i>taraxacifolia</i>				hpt	wh.	$\frac{1}{2}$...	6
800	tetraptera				ha	...	1	...	3
801	— — —			2 6
802	— — —			6
803	<i>Ononis</i>			16	45	106		hp	red	3	...	6
804	<i>Orobis coccineus</i>			17	sc.	$1\frac{1}{2}$	5-6	3
805	Fischeri			pur.	2	...	3
806	latifolius			red	3	...	3
807	<i>Oxalis purpurea</i>			10	30	...		hpt	pur.	1	6-8	6
808	ròsca			rose	6
809	<i>Oxyura chrysanthemoides</i>			19	54	85		ha	y & w	...	7-8	3
810	<i>Pæonia arborea</i>			13	26	132		hp	div.	4	5-7	6
811	— — —			2	6-8	6
812	<i>Palavia moschita</i>			16	48	115		ha	pur.	1	7-8	3
813	<i>Papaver erocnui</i>			13	25	122		hpt	or.	$1\frac{1}{2}$...	3
814	nudicaule			yel.	3
815	orientale			red	3
816	pulcherrimum			sc.	6
817	— — —			div.	6

A — indicates a variety. () That the word is not literally translated, or is superadded.

No.			L.	O.	N.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
818	Pardanthus chinensis	Chinese	3	25	103	hlp	or.	2	6-7	6
819	Passiflora alata**	winged	16	40	123	S.	3col.	cl.	4-9	6
820	cærulea**	blue	hp	bl.	...	6-9	6
821	edulis**	esulent	S.	wh.	6
822	pedata**	pedate	w&g	6
823	Roddiana**	Rodd's	6
824	— — —	finest mixed**	div.	1 0
825	Patersonia glauca	glaucaous	...	38	103	G.	pur.	1	5-7	6
826	Pelargonium (Geranium)	finest mixed	...	42	100	...	div.	3	6-9	1 0
827	— — —	large packet	2 6
828	— — —	scarlet (6 var.)	sc.	6
829	— — —	Tom Thumb	6
830	Pentapetes phœnicea	purple	...	45	76	S.	...	2	7-8	6
831	Pentstemon digitalis	Digitalis-like	14	59	139	hpt	wh.	3
832	atropurpureum	dark purple	d. p.	3
833	Chandleri	Chandler's	var.	6
834	gentianoides	Gentian-like	red	3
835	— album	white	wh.	6
836	— coccineum	scarlet	sc.	6
837	— grandiflorum	large-flowered	1 0
838	latifolium	broad-leaved	6
839	Murrayanum	Murray's	1 0
840	ovatum	ovate	bl.	6
841	nitidum	shining	3
842	perfoliatum	perfoliate	6
843	pulehellum	pretty	div.	6
844	roseum	rose-coloured	rose	3
845	spectosum	showy	bl.	1 0
846	— — —	finest mixed	div.	6
847	— — —	6 fine sorts	1 6
848	Petunia phœnicea	purple	5	25	143	hlp	pur.	...	6-9	3
849	— violacea	violet	vio.	3
850	— alba major	large white	wh.	3
851	— Blockii	Block's	6
852	— grandiflora	large-flowered	pur.	3
853	— picta	painted	6
854	— rosea grandiflora	large rose-flowered	rose	6
855	— striata	striped	str.	6
856	— — —	Beauty	6
857	— — —	Prince Albert	6
858	nyctaginiflora	(white)	wh.	3
859	— — —	6 finest sorts	div.	2 6
860	— — —	splendid mixed	6
861	Phacelia conspicua	conspicuous	102	lia	bl.	...	7-8	3
862	tanacetifolia	Tansey-leaved	3
863	Phaseolus Caracalla	Caracalla	17	45	106	S.	li.	cl.	7-9	1 0
864	psoralca	Psoralea-(like)	7-8	6
865	Philotheca australis	Australian	16	...	137	G.	wh.	2	5-6	6
866	Philomis Russelliana	Russell's	14	58	105	hpt	buff	...	6-8	6
867	Phlox Drummondii	Drummond's	5	25	126	lia	div.	1½	7-9	6
868	— alba	white	wh.	1 0
869	— coccinea	scarlet	sc.	6
870	— kermesina	erimson	cr.	6
871	— Leopoldiniana	Leopoldina's	var.	1 0
872	— oculata	(white-eyed)	div.	1 0
873	— — —	Nos. 867 to 872	3 6
874	sp. perennans	mixed perennial	hpt	6
875	Physolobium gracile**	slender	10	...	106	G.	6-8	6
876	Pinella spectabilis	showy	2	...	145	3	...	6
877	Pinus et div. Coniferæ	(various Pines, &c.)	21	49	86	hp	...	div.	...	1 0

<i>A— indicates a variety. () That the word is not literally translated, or is superadded.</i>			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
878	Platylöbium formösum	beautiful	16	45	106	G.	or.	4	6-9	2 6
879	trianguläre	triangular	6
880	Platystemon californicum	Californian	13	25	122	ha	yel.	$\frac{1}{2}$	7-8	6
881	Plumbago zeylanica	Ceylon	5	...	125	S.	wh.	cl.	6-9	6
882	Podolepis chrysantha	yellow-flowered	19	54	85	lha	yel.	1	7-8	6
883	gracilis	slender	pink	3
884	— alba	white	wh.	3
885	Podotheca capitata	headed	yel.	$1\frac{1}{2}$...	6
886	Poinciana Gilliesii	Gillies's	10	25	106	S.	...	6	6-9	1 0
887	pulcherrima	most beautiful	r & y	8	...	1 0
888	Polygala speciosa	showy	17	43	128	G.	pur.	5	...	6
889	Portulaca Thellusoni	Thelluson's	11	25	129	lha	sc.	$\frac{1}{2}$	7-8	6
890	grandiflora	large-flowered	c. w.	6
891	splendens	splendid	6
892	Thorburni	Thorburn's	yel.	1 0
893	striatiflora	striped-flowered	str.	1 0
894	— — —	Nos. 889 to 893	div.	3 0
895	— — —	finest mixed	1 0
896	Potentilla formösa	beautiful	12	35	135	hp†	pur.	1	...	3
897	atrosanguinea	dark red	red	3
898	Garneriana	Miss Garnier's	y & r	6
899	Hopwoodiana	Hopwood's	var.	6
900	insignis	beautiful	yel.	6
901	Mackayana	Mackay's	y & p	3
902	— — —	Nos. 896 to 901	div.	2 0
903	— — —	finest mixed	6
904	Prænanthes phœnicea	purple	19	53	85	hp	pur.	4	...	3
905	Primula cortusoides	Cortusa-like	5	25	130	hlp†	...	$\frac{1}{2}$	5-7	6
906	sincensis (prænitens)	Chinese	r & w	1	...	6
907	— fimbriata	fringed	1 0
908	— — alba	— white	wh.	6
909	Prætea	finest mixed	4	...	131	G.	div.	div.	div.	1 0
910	Ramonda pyrenæica	Pyrenean	5	...	143	hlp†	pur.	$\frac{1}{2}$	6-8	6
911	Randia racemosa	bunch-flowered	136	S.	w & g	6	...	1 0
912	Ranunculus asiaticus	Asiatic	13	35	132	hlp	div.	1	...	1 0
913	Rhodanthe Manglesii	Mangles's	19	54	85	lha	rose	...	7-8	6
914	Rhododendron	finest mixed	10	25	...	hlp	div.	div.	div.	6
915	Robinia candida	white	17	45	106	S.	wh.	5	7-8	6
916	spectabilis	showy	6
917	Rösa	finest mixed	12	35	135	hlp	div.	div.	div.	6
918	Rudbeckia Drummondii	Drummond's	19	55	85	hlp†	6
919	formösa	beautiful	6
920	Salpiglossis Barclayana	Barclay's	14	59	143	lha	y. br.	$1\frac{1}{2}$	7-9	6
921	— atropurpurea	dark purple	pur.	6
922	— grandiflora	large-flowered	var.	6
923	— picta	painted	6
924	— splendens	splendid	yel.	1 0
925	— straminea	straw-coloured	stra.	6
926	— — —	Nos. 920 to 925	div.	3 0
927	— — —	finest mixed	6
928	Salvia bicolor	two-coloured	2	25	105	hlp†	b & w	2	...	3
929	latifolia	broad-leaved	6
930	limbata	bordered	bor.	3
931	pätens	(splendid blue)	bl.	6	...	1 0
932	pendula	pendulous	2	...	3
933	— — —	fine mixed	div.	div.	...	6
934	Sanvitalia procumbens	procumbent	19	54	85	lha	yel.	tr.	...	6
935	Saponaria calabrica	Calabrian	10	26	141	ha	red	$\frac{1}{2}$	6-9	6
936	multiflora	many-flowered	6
937	ocymoides	Ocyma-like	hlp†	rose	$\frac{1}{2}$	5-8	6

A — indicates a variety. () That the word is not literally translated, or is superadded.			Cl.	L.	O.	N.	H. & Dur.	Col. of Fl.	Hght. of Fl.	M. of Flow.	Price.
No.									feet	s. d.	
938	Schistanthe pedunculata	peduncled									6
939	Schizanthus Grahâmi	Graham's	14	59	139	hbb	r & y	2	7-8		6
940	Hookeri	Hooker's	var.	6
941	retusus	retuse	6
942	— — —	Nos. 939 to 941 m.	div.	6
943	pinnatus	winged	ha	l.p.y.	1½	3
944	— albidus	whitish	wh.	3
945	— porrigens	spreading	var.	3
946	— Priestii	Priest's	wh.	3
947	— venustus	beautiful	dark	3
948	humilis	dwarf	var.	1	3
949	pulchellus	pretty	w & p	1½	3
950	— — —	Nos. 943 to 949	div.	1	6
951	— — —	finest mixed	6
952	Schizopetalon Walkeri	Walker's	15	61	89	hha	wh.	1	6
953	Scilla	(4 finest mixed)	6	25	107	hp	w & b	...	4-8	1	0
954	Scutellaria macrantha	long-flowered	14	58	105	hpt	bl.	¾	6-7		6
955	— — —	fine mixed	div.	6
956	Scyphanthus elegans**	elegant	18	48	110	hbp	ycl.	cl.	7-8		6
957	Sedum caruleum	blue	10	30	88	ha	bl.	½	6
958	Sida Abutilon	Abutilon	16	48	115	...	ycl.	1½	6-7		3
959	Silene compacta	compact	10	28	141	hbt	pink	1	7-8		3
960	fimbriata	fringed	hp	wh.	1½	6-7		3
961	pendula	pendulous	ha	rose	1	7-8		3
962	pieta	painted	pink	3
963	regia	royal	3
964	— — —	6 fine sp.	1	6
965	Siphocampylos	2 fine species	5	25	111	hbp	r & y	3	6
966	Solanum macranthum	long-flowered	143	6
967	Sollya heterophylla	various-leaved	106	G.	bl.	cl.	6-9		6
968	Sparaxis	splendid mixed	3	...	103	hbp	div.	1	5-6		6
969	Sphærogynce grandiflora	large-flowered	19	55	85	hha	ycl.	...	7-8		6
970	— speciosa	showy	6
971	Spiraea Lindleyana	Lindley's	12	27	135	hp	...	1½	6
972	Stachys grandiflora	large-flowered	14	58	105	hpt	red	6
973	purpurea	purple	pur.	6
974	speciosa	showy	sc.	6
975	Statie eximia	choice	5	30	125	...	red	1	6
976	formosa	beautiful	rose	6
977	speciosa	showy	wh.	6
978	vulgaris	common	rose	3
979	— incarnata	flesh-coloured	flesh	3
980	Stenactis speciosa	showy	19	54	85	...	pur.	2	3
981	Stephanotis floribunda	many-flowered	6-9		6
982	Stevia purpurea	purple	19	53	85	hpt	pur.	1½	6-8		3
983	serrata	serrated	flesh	3
984	Stipa pennata	(Feather Grass)	3	26	98	...	gr.	2	3
985	Streptocarpus Rexii	Rex's	2	25	73	G.	bl.	½	6
986	Sutherlandia grandiflora	large-flowered	17	45	106	hbp	ycl.	3	7-8		3
987	Swainsonia galegifolia	Galega-leaved	G.	r & w	2	6-8		6
988	Taesonina pinnatistipula**	pinnate-stipuled	16	40	123	...	rose	cl.	6-9	1	0
989	Tagetes lucida	shining	19	54	85	...	ycl.	1	7-8		6
990	— minima striata	smallest striped	hha	str.	½	6
991	pulchra flore-pleno	beautiful double	var.	1	6
992	signata (teunifolia)	fine-leaved	or.	6
993	— grandiflora	large-flowered	6
994	Telœkia speciosa	showy	hpt	ycl.	4	6
995	Telœpia speciosissima	most showy	4	25	131	S.	sc.	10	5-8	2	6
996	Thunbergia alata**	winged	2	25	62	gha	y & d	cl.	6-9		6
997	— alba**	white	w & d	6

A — indicales a variety. () That the word is not literally translated, or is super-added.

<i>A</i> — indicates a variety. () That the word is not literally translated, or is superadded.			L. G.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght. feet	M. of Flow.	Price. s. d.
No.										
998	<i>Thunbergia a. aurantiaca</i> **	orange	2	25	62	gha	or.	cl.	6-9	6
999	— <i>Bakeri</i> **	<i>Baker's</i>	wh.	6
1000	— <i>mesoleuca</i> **	white-eyed	o & w	6
1001	— — —	Nos. 996 to 1000	div.	2 0
1002	— — —	finest mixed	1 0
1003	<i>Tigridia conchiflora</i>	shell-flowered	16	38	103	hlp	yel.	1	7-9	3
1004	<i>Pavonia</i>	(<i>Tiger-Flower</i>)	o & s.	3
1005	<i>Tournefortia heliotropioides</i>	<i>Heliotropium-like</i>	5	25	75	hlp+	li.	2	5-7	6
1006	<i>Trachelium æruleum</i>	blue	78	fgh	bl.	...	7-8	3
1007	<i>Tulipa Gesneriana</i>	<i>Gesner's</i>	6	...	147	hp	div.	1	6-7	6
1008	<i>Trichonema speciosa</i>	showy	3	...	103	hlp	rose	6
1009	<i>Tropæolum azureum</i> **	azure (<i>Nasturtion</i>)	8	...	146	G.	bl.	cl.	7-9	1 0
1010	<i>Jarrattii grandiflorum</i>	large-flowered**	s & y.	1 6
1011	<i>Lobbianum</i> **	<i>Lobb's</i>	sc.	1 0
1012	<i>Moritzianum</i> **	<i>Moritz's</i>	r & y.	1 0
1013	<i>pentaphyllum</i> **	five-leaved	o & y.	6
1014	<i>tricolorum</i> **	three-coloured	3col.	6
1015	<i>peregrinum</i> **	(<i>Canary Bird</i>)	hha	yel.	6
1016	<i>Twecdia cærula</i> **	blue	5	26	69	G.	bl.	...	6-8	3
1017	<i>Vachellia farnesiana</i>	<i>Farnesian</i>	6
1018	<i>Uraria macrophylla</i>	long-leaved	17	45	106	S.	var.	3	7-8	6
1019	<i>Veratrum nigrum</i>	black	23	51	121	hp	pur.	4	6-8	3
1020	<i>Verbascum compactum</i>	compact	5	25	143	hbf	rose	1	7-8	3
1021	<i>formosum</i>	beautiful	hp	yel.	2	...	3
1022	<i>spectabile</i>	showy	y & p.	3
1023	<i>Verbena Aubletia</i>	<i>Aublet's</i>	14	59	150	hlp+	li.	1	...	3
1024	<i>Drummondii</i>	<i>Drummond's</i>	wh.	6
1025	<i>geraniifolia</i>	large-flowered	6
1026	<i>pulchella</i>	pretty	bl.	6
1027	<i>pulcherrima</i>	most beautiful	6
1028	<i>venosa</i>	veined	rose	6
1029	— — —	finest mixed	div.	6
1030	<i>Veronica candida</i>	white	2	25	139	...	wh.	3
1031	<i>Lindleyana</i>	<i>Lindley's</i>	6
1032	<i>salicifolia</i>	poplar-leaved	6
1033	<i>speciosa</i>	showy	6
1034	<i>Viscaria oculi-rorsa</i>	<i>Rose of Heaven</i>	10	30	141	ba	flesh	1	...	3
1035	<i>oculata</i>	(dark-eyed)	rose	3
1036	— <i>alba</i>	white	wh.	3
1037	— <i>nana</i>	dwarf	6
1038	— — —	Nos. 1034 to 1037	1	0
1039	<i>Vinca rosea</i>	rose	5	25	66	S.	rose	...	3-9	6
1040	— <i>alba</i>	white	wh.	6
1041	— — —	mixed	r & w	6
1042	<i>Viola odorata</i>	sweet	151	hlp+	div.	3
1043	<i>Xanthorrhoea</i>	fine species	6	...	107	G.	wh.	3	7-8	1 0
1044	<i>Zinnia elegans</i>	elegant	19	54	85	hha	vio.	2	7-9	6
1045	— <i>alba</i>	white	wh.	6
1046	— <i>aurantiaca</i>	orange	or.	6
1047	— <i>castanea</i>	chestnut	br.	6
1048	— <i>coccinea</i>	scarlet	sc.	6
1049	— — <i>major</i>	larger	6
1050	— <i>flava</i>	yellow	yel.	6
1051	— <i>incarnata</i>	flesh-coloured	flesh	6
1052	— <i>kermesina</i>	crimson	cr.	6
1053	— <i>miniata</i>	carmine	car.	6
1054	— <i>purpurea</i>	purple	pur.	6
1055	— <i>rosea</i>	rose	rose	6
1056	— <i>straminea</i>	straw-(coloured)	stra.	6
1057	— — —	6 finest sorts	div.	...	2	0

A — indicates a variety. () That the word is not literally translated, or is superadded.

No.		L.	Cl.	L.	O.	N.	O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price*
1058	Zinnia elegans, 20 var.	splendid mixed	19	54	85	hha	div.	2	7-9	6		
1059	Zygophyllum Fabago	Fabago	10	25	152	hp	o & w	4	...	6		
1060	microphyllum	small-leaved	ldhp†	ycl.	½	7-8	6		

The following plants are best known by the English Names, but as the Scientific Name is requisite to show the genus to which they belong, it is also given. Such Popular Names as Convolvulus Minor, Flos Adonis, White Candytuft, Columbine, &c., have no affinity with the Latin, and are not to be considered as translations.

A — is employed to indicate varieties.

No.		L.	Cl.	L.	O.	N.	O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price*
1061	Aster, Chinese, mixed	<i>Aster sinensis, pl. var.</i>	19	54	85	hha	div.	2	8-10	3		
1062	quilled (German), m.	— <i>fistulosus</i> , 20 var.	6		
1063	— dark blue	— <i>atro-caeruleus</i>	d. bl.	4		
1064	— light blue	— <i>late-caeruleus</i>	l. bl.	4		
1065	— dark red	— <i>atrorubens</i>	d. r.	4		
1066	— rose	— <i>roseus</i>	rose	4		
1067	— Turkey	— <i>turcicus</i>	er.	4		
1068	— white	— <i>albus</i>	wh.	4		
1069	— new Globe	— <i>globularis novus</i>	div.	6		
1070	— new pyramidal	— <i>pyramidalis novus</i>	6		
1071	— new dwarf	— <i>nanus novus</i>	7-8		
1072	Nos. 1061 to 1071	— — —	3	6	
1073	Auricula, alpine	<i>Primula Auricula</i>	5	25	130	hp	...	½	5-7	6		
1074	finest prize	— — —	2	6	
1075	Balsam, finest m.	<i>Balsamina hortensis</i>	70	ta	div.	...	7-9	6		
1076	double branching	— <i>ramosa plena</i>	pur.	2	...	3		
1077	— crimson	— <i>kermesina</i>	cr.	3		
1078	— dark rose	— <i>atro-rosea</i>	d. r.	3		
1079	— early purple	— <i>purpurea praecox</i>	pur.	3		
1080	— late purple	— <i>purpurea serotina</i>	3		
1081	— light scarlet	— <i>late-coccinea</i>	l. s.	3		
1082	— new dotted, m.	— <i>punctata nova</i>	div.	6		
1083	— scarlet	— <i>coccinea</i>	sc.	3		
1084	— striped, m.	— <i>striata</i>	div.	6		
1085	— white	— <i>candida</i>	wh.	3		
1086	— tricolor	— <i>tricolor</i>	3col.	3		
1087	— variegated	— <i>variegata</i>	var.	3		
1088	— Camellia, m.	— <i>Camelliaeflora</i>	div.	6		
1089	— 12 var. sep.	— — —	4	0	
1090	— rose-flow. 3 var.	— <i>roseiflora</i>	1	0	
1091	— new dwarf	— <i>nana nova</i>	3		
1092	Nos. 1075 to 1091	— — —	7	6	
1093	Candytuft, white	<i>Theris amara</i>	15	60	89	ha	wh.	1	7-8	3		
1094	purple	— <i>unbellata</i>	pur.	3		
1095	new crimson	— <i>phaenicea nova</i>	er.	3		
1096	new rose	— <i>rosea nova</i>	rose	3		
1097	new Rocket	— <i>coronaria nova</i>	wh.	3		
1098	fragrant	— <i>odorata</i>	3		
1099	Nos. 1093 to 1098	— — —	div.	1	0	
1100	Canterbury Bell	<i>Campanula Medium</i>	5	25	78	hp†	wh.	2	...	3		
1101	white	— <i>album</i>	bl.	3		
1102	double, mixed	— <i>flore-pleno</i>	b & w	6		
1103	Carnation, fine double	<i>Dianthus Caryophyllus</i>	10	26	141	hlp	div.	...	6-8	2	6	
1104	Catchfly, Lobel's	<i>Silene Armèria</i>	...	28	...	ha	red	1	7-8	3		
1105	white	— <i>alba</i>	wh.	3		

<i>A — is employed to indicate varieties.</i>		L.	Cl.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.		L.	Cl.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
1106	Chrysanthemum, w&y	19	54	85	ha	w&y	3	7-8	3
1107	tricolor	3col.	1	...	3
1108	new yellow	3
1109	Clary, red and purple	2	25	105	r&p.	6
1110	Cockscomb, dwarf	5	...	63	ta	pur.	6
1111	dwarf yellow	yel.	6
1112	tall, bordered	bor.	1½	...	6
1113	— scarlet	sc.	6
1114	— golden yellow	yel.	6
1115	— mixed	div.	6
1116	Columbine, fine mixed	13	30	132	hp	...	2	6-7	3
1117	double striped	str.	3
1118	Convolvulus minor	5	25	87	ha	bl.	tr.	6-8	3
1119	new dark	d. p.	3
1120	large-flowered	3
1121	striped	stri.	6
1122	white and yellow	w&y	3
1123	mixed	div.	3
1124	Nos. 1118 to 1123	1 6
1125	Convolvulus major, n.	3
1126	splendid mixed, 20v.	1 0
1127	new crimson	er.	6
1128	flesh-coloured	flesh	3
1129	rose-coloured	rose	3
1130	spotted	spot.	3
1131	striped	stri.	3
1132	variegated	var.	3
1133	violet	vio.	3
1134	very dark	d.v.	3
1135	white	wh.	3
1136	Nos. 1126 to 1135	div.	3 0
1137	16 fine var. separate	4 0
1138	Cowslip, mixed	130	hp	...	1	3-6	3
1139	Cyanus, fine mixed	19	55	85	ha	...	2	6-9	3
1140	double striped	stri.	3
1141	Egg Plant, purple	5	25	143	ta	p. fr.	...	7-8	3
1142	white	w.fr.	3
1143	Flos Adonis	13	35	132	ha	sc.	1	...	3
1144	Fraxinella, red	10	25	137	hp	red	3	7-9	3
1145	white	wh.	3
1146	French Honeysuckle	17	45	106	lha	sc.	2	7-8	3
1147	white	3
1148	Geranium, fine mixed	16	42	100	G.	div.	...	6-9	2 6
1149	GlobeAmaranthus, pur.	5	25	63	ta.	pur.	...	7-8	3
1150	flesh-coloured	flesh	3
1151	white	wh.	3
1152	4 var. separate	div.	1 0
1153	Gourd, Bottle, 3 var.	21	49	90	fa	wh.	tr.	7-9	6
1154	Herenles' Chmb	6
1155	siphon-shaped	6
1156	Mammoth	yel.	3
1157	orange	3
1158	striped pear	3
1159	Turban	3
1160	mixed	3
1161	Nos. 1153 to 1160	y&w	2 0
1162	Hawkweed, purple	19	53	85	ha	pur.	1	7-8	3
1163	white	wh.	3
1164	yellow	yel.	3
1165	silvery	sil.	3

<i>A — is employed to indicate varieties.</i>			L.	Cl.	L.	O.	N.	O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.											feet		s. d.
1166	Heartsease or Pansy, f.	<i>Viola tricolor</i>	5	25	151	hp†	div.	1	6-9	1	0		
1167	Hollyhock, Antwerp	<i>Althæa fiefolia</i>	16	48	115	hp	or.	7	7-9				
1168	double rose	<i>rosea</i>	rose	3		
1169	— black	<i>— nigra</i>	bla.	3		
1170	— crimson	<i>— kermesina</i>	cr.	3		
1171	— purple	<i>— purpurea</i>	pur.	3		
1172	— red	<i>— rubra</i>	red	3		
1173	— yellow	<i>— lutea</i>	yel.	3		
1174	— white	<i>— alba</i>	wh.	3		
1175	Nos. 1167 to 1174	— — —	div.	1	6	
1176	20 var. mixed	— — —	6		
1177	Chinese	<i>Althæa sinensis</i>	hb†	vio.	3	3		
1178	— 10 new var. sep.	— — —	div.	2	6	
1179	— mixed	— — —	6		
1180	Horn Poppy, scarlet	<i>Glaucium phœniceum</i>	13	25	122	ha	sc.	1½	7-8		3		
1181	violet	<i>Ranunculus hybridus</i>	vio.	3		
1182	Ice Plant	<i>Mesemb. crystallinum</i>	12	27	95	ta	wh.	3		
1183	Jacobæa, double m.	<i>Sedoid elegans, fl. pl.</i>	19	54	85	lha	div.	6		
1184	double mulberry	<i>— rubro-purpurea</i>	mul.	3		
1185	— purple	<i>— purpurea</i>	pur.	3		
1186	— red	<i>— rubra</i>	red	3		
1187	— rose	<i>— rosea</i>	rose	3		
1188	— violet	<i>— violacea</i>	vio.	3		
1189	— white	<i>— alba</i>	wh.	3		
1190	— crimson	<i>— kermesina</i>	cr.	3		
1191	Nos. 1183 to 1190	— — —	div.	1	6	
1192	Larkspur, dwarf, mixed	<i>Delphinium Ajacis</i>	13	28	132	ha	...	1	3		
1193	dwarf, German, m.	<i>— humile, pl. var.</i>	6		
1194	— milk-white	<i>— lacteum</i>	milk	3		
1195	— blue	<i>— caeruleum</i>	bl.	3		
1196	— lilac	<i>— lilacinum</i>	li.	3		
1197	— rose	<i>— roseum</i>	rose	3		
1198	— slate	<i>— caesium</i>	sl.	3		
1199	— white	<i>— album</i>	wh.	3		
1200	— unique	<i>— bicolor</i>	2 col.	3		
1201	Larkspur, tall m.	<i>— elatior, pl. var.</i>	div.	1½	3		
1202	tall German	— — —	6		
1203	— blue	<i>— caeruleum</i>	bl.	3		
1204	— lilac	<i>— lilacinum</i>	li.	3		
1205	— rose	<i>— roseum</i>	rose	3		
1206	— slate	<i>— caesium</i>	sl.	3		
1207	— white	<i>— album</i>	wh.	3		
1208	branching, m. Germ.	<i>Consolida, pl. var.</i>	div.	2	6		
1209	— blue	<i>— caelestinum</i>	bl.	3		
1210	— rose	<i>— roseum</i>	rose	3		
1211	Lavatera, red	<i>Lavatera trimestris</i>	16	48	115	3	3		
1212	white	<i>— alba</i>	wh.	3		
1213	Love-lies-bleeding	<i>Amaranthus caudatus</i>	21	40	63	...	red	tr.	3		
1214	Lupins, white	<i>Lupinus albus</i>	16	45	106	...	wh.	1½	3		
1215	Dutch blue	<i>— canaliculatus</i>	bl.	2	3		
1216	large blue	<i>— hirsutus</i>	3		
1217	large rose	<i>— pilosus</i>	rose	3		
1218	small blue	<i>— angustifolius</i>	bl.	1½	3		
1219	yellow	<i>— luteus</i>	yel.	3		
1220	straw-coloured	<i>— stramineus</i>	str.	3		
1221	Nos. 1214 to 1220	— — —	div.	1	6	
1222	fine mixed	— — —	6		
1223	Marigold, French, m.	<i>Tagetes patula, pl. var.</i>	19	54	85	hha	...	2	3		
1224	French, dwarf	<i>— humilis</i>	dark	1	3		
1225	— splendid striped	<i>— striata superba</i>	y&br	1½	6		

<i>A — is employed to indicate varieties.</i>			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
1226	Marigold, tall F.	<i>Tagetes pütula elätior</i>	19	54	85	lha	div.	2	7-8	3
1227	African	<i>erecta, pl. var.</i>	y & o	3
1228	— lemon	<i>— citrina</i>	lem.	3
1229	— orange	<i>— aurantiaca</i>	or.	3
1230	Cape	<i>Calendula pluviälis</i>	...	56	...	ha	wh.	1	...	3
1231	hybrid	<i>hybrida</i>	3
1232	double	<i>officinälis</i>	or.	3
1233	— bunch-flowered	<i>— floribunda</i>	3
1234	Nos. 1223 to 1233	<i>— — —</i>	div.	1-2	...	2 6
1235	Marvel of Peru, m.	<i>Miräbilis Jaläpa, pl. var.</i>	3	25	117	hlp†	...	3	...	3
1236	— red	<i>— rubra</i>	red	3
1237	— striped, 3 var.	<i>— striäta</i>	stri.	3
1238	— yellow	<i>— fläva</i>	yel.	3
1239	— white	<i>— alba</i>	wh.	3
1240	— sweet-scented	<i>longiflora</i>	3
1241	12 fine var. sep. p.	<i>— — —</i>	div.	2 6
1242	Mignonette, per oz. 1s.	<i>Reseda odorata</i>	11	28	133	ha	buff	1	6-8	3
1243	Nasturtions, new dwf.	<i>Tropaeolum minus</i>	8	43	146	...	o. s. tr.	...	7-9	3
1244	dwarf	<i>— dubium</i>	or.	3
1245	tall	<i>möjus</i>	o & y	3
1246	new dark	<i>— atrum novum</i>	dark	3
1247	dark red	<i>— atropurpurens</i>	d. r.	3
1248	Shilling's	<i>— Shillingii</i>	spot.	3
1249	striped	<i>— striatum</i>	stri.	3
1250	carmine	<i>— miniatum</i>	car.	3
1251	fine mixed	<i>— — —</i>	div.	3
1252	Nos. 1243 to 1251	<i>— — —</i>	2 0
1253	Palma Christi	<i>Ricinus major</i>	21	49	94	lha	gr.	6	...	3
1254	Pea, Tangier, 2 var.	<i>Lathyrus tingitanus</i>	17	45	106	ha	r. & s.	4	7-8	3
1255	Lord Anson's	<i>mugellanicus</i>	bl.	3
1256	winged, 2 var.	<i>Lotus tetragonolobus</i>	y & r	6
1257	Pea, sweet, per lb. 4s.	<i>Lathyrus odoratus</i>	div.	3
1258	black	<i>— niger</i>	bla.	3
1259	painted Lady	<i>— pictus</i>	var.	3
1260	purple	<i>— purpureus</i>	pur.	3
1261	new large purple	<i>— atropurpureus</i>	3
1262	scarlet	<i>— coccineus</i>	se.	3
1263	striped	<i>— striatus</i>	stri.	3
1264	— new striped	<i>— striatus novus</i>	3
1265	white	<i>— albus</i>	wh.	3
1266	Persicaria, red	<i>Polygonum orientale</i>	8	28	128	...	red	3
1267	white	<i>— album</i>	wh.	3
1268	Polyanthus, extra fine	<i>Primula elätior, var.</i>	5	25	130	hpt	div.	$\frac{1}{2}$	5-7	6
1269	Poppy, double, 20 var.	<i>Papaver somniferum</i>	13	...	122	ha	...	2	7-8	3
1270	double black	<i>— nigrum plenum</i>	bla.	3
1271	— Carnation	<i>— Caryophylloides</i>	var.	3
1272	— fringed	<i>— finbriatum</i>	se.	3
1273	— scarlet	<i>— coccineum</i>	3
1274	— striped red	<i>— rubrum striatum</i>	stri.	3
1275	— striped rose	<i>— roseum striatum</i>	3
1276	— white	<i>— album</i>	wh.	3
1277	double French, m.	<i>Rheas, fl. pl.</i>	div.	1	...	3
1278	— scarlet	<i>— coccineum</i>	se.	3
1279	— Turkey	<i>— turcicum</i>	div.	3
1280	Nos. 1269 to 1279	<i>— — —</i>	1-2	...	2 0
1281	Primrose, mixed	<i>Primula vulgaris</i>	5	...	130	hpt	...	$\frac{1}{2}$	5-7	3
1282	Prince's Feather	<i>Amaranthus hypochon-</i>	21	40	63	ha	pur.	2	7-8	3
1283	Quaking Grass	<i>Briza maxima [driacus]</i>	3	26	98	...	gr.	1 $\frac{1}{2}$...	3
1284	slender	<i>gracilis</i>	3
1285	Rocket, purple	<i>Hesperis matronalis</i>	15	61	89	hb	pur.	...	5-8	3

<i>A — is employed to indicate varieties.</i>		L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght. feet	M. of Flow.	Price. s. d.
No.									
1286	Rocket, sweet	<i>Hesperis tristis</i>	15 61	89	hp	wh.	1½	5-8	3
1287	Scabious, dwarf	<i>Scabiosa nana</i>	4 25	91	ha	div.	...	7-8	3
1288	very dark	<i>atropurpurea</i>	hpt	pur.	2	...	3
1289	splendid German	— <i>splendida</i>	div.	6
1290	Scotch Thistle	<i>Carduus, sp. ?</i>	19 55	85	...	pur.	8	...	6
1291	Sensitive Plant	<i>Mimosa sensitiva</i>	23 51	106	fgh	pink	2	6-9	6
1292	Snapdragon, see 106	<i>Linaria, 6 fine sp.</i>	14 59	139	ha	div.	1	...	1 6
1293	Stock, 10 week, mixed	<i>Mathiola annua, pl. var.</i>	15 61	89	hha	...	1½	...	3
1294	scarlet	— <i>coccinea</i>	sc.	3
1295	intermediate	— <i>intermedia</i>	3
1296	purple	— <i>purpurea</i>	pur.	3
1297	pyramidal	— <i>pyramidalis</i>	wh.	3
1298	white	— <i>alba</i>	3
1299	Stock, German, fine m.	<i>Mathiola annua, var.</i>	div.	1	...	6
1300	large packet	— —	1 0
1301	dwarf carmine	<i>annua densiflora</i>	car.	4
1302	— crimson	— <i>kermesina</i>	er.	4
1303	— dark crimson	— <i>alrorubens</i>	d. c.	4
1304	— dark blue	— <i>atro-carulea</i>	d. bl.	4
1305	— lilac	— <i>lilacina</i>	li.	4
1306	— light blue	— <i>late-carulea</i>	l. bl.	4
1307	— peach	— <i>persiciflora</i>	peach	4
1308	— rose	— <i>rosea</i>	rose	4
1309	— very dark	— <i>atroviolacea</i>	dark	4
1310	— yellow	— <i>lutea</i>	yel.	4
1311	— violet	— <i>violacea</i>	vio.	4
1312	— white	— <i>alba</i>	wh.	4
1313	Nos. 1300 to 1312	— — —	div.	4 0
1314	6 fine varieties	— — —	2 0
1315	new large, m.	<i>annua grandiflora nova</i>	1 0
1316	carmine	— <i>miniata</i>	car.	1 0
1317	dark blue	— <i>carulea</i>	d. bl.	1 0
1318	light blue	— <i>late-carulea</i>	l. bl.	1 0
1319	rose	— <i>rosea</i>	rose	1 0
1320	Nos. 1316 to 1319	— — —	div.	4 0
1321	Stock, Prussian, m.	<i>annua græca</i>	3
1322	— purple	— <i>purpurea</i>	pur.	3
1323	— rose	— <i>rosea</i>	rose	3
1324	— scarlet	— <i>coccinea</i>	sc.	3
1325	white	— <i>alba</i>	wh.	3
1326	autumnal, m.	<i>annua autumnalis</i>	div.	1½	...	6
1327	Stock, Brompton, m.	<i>simplicicaulis</i>	hhib	...	3	...	3
1328	— purple	— <i>purpurea</i>	pur.	3
1329	— scarlet	— <i>coccinea</i>	sc.	3
1330	— white	— <i>alba</i>	wh.	3
1331	Stock, Queen, mixed	<i>incana</i>	div.	1½	6-8	3
1332	— purple	— <i>purpurea</i>	pur.	3
1333	— scarlet	— <i>coccinea</i>	sc.	3
1334	— white	— <i>alba</i>	wh.	3
1335	Imperial	<i>imperialis</i>	hhp	d. b.	...	5-9	6
1336	— light blue	— <i>late-carulea</i>	l. b.	6
1337	— red	— <i>rubra</i>	red	6
1338	— rose	— <i>rosea</i>	rose	6
1339	— mixed	— — —	div.	6
1340	Nos. 1335 to 1339	— — —	2 0
1341	Sunflower, dwarf	<i>Helianthus indicus</i>	19 55	85	ha	yel.	3	7-8	3
1342	tall	<i>annuus</i>	6	...	3
1343	Sweet Alyssum	<i>Alyssum maritimum</i>	15 60	89	hpt	wh.	1	6-8	3
1344	Sweet Sultan	<i>Centaurea moschata</i>	19 55	85	hha	pur.	1½	7-8	3
1345	white	— <i>alba</i>	wh.	3

<i>A — is employed to indicate varieties.</i>		L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.	
No.							feet		s. d.	
1346	Sweet Sultan, yellow	<i>Centaurea suaveolens</i>	19	55	85	lha	yel.	1½	7-8	3
1347	blush	<i>Crocodylitum</i>	blish.	3
1348	Sweet William	<i>Dianthus barbatus</i>	10	26	141	lp	div.	...	6-8	3
1349	Venus' Looking Glass	<i>Campánula Spécifum</i>	5	25	78	ha	bl.	¾	7-8	3
1350	rose	— <i>rosea</i>	rose	3
1351	white	— <i>alba</i>	wh.	3
1352	5 var. separate	— — —	div.	1 0	...
1353	Venus' Navelwort	<i>Cynoglossum linifolium</i>	75	wh.	1	3
1354	Virginian Stock	<i>Malcœmia maritima</i>	15	61	89	rose	½	6-7	3	...
1355	white	— <i>alba</i>	wh.	3
1356	Wallflower, dark	<i>Cheiranthus Cheiri</i>	hp	br.	2	5-8	3
1357	violet	— <i>violacea</i>	vio.	3
1358	yellow	— <i>lutea</i>	yel.	3
1359	— large	— <i>lutea major</i>	3
1360	mixed, 20 var.	— — —	div.	6
1361	double German	— <i>florc-pleno</i>	6
1362	— black brown	— — <i>nigricans</i>	d. br.	6
1363	— blue	— — <i>cœrulea</i>	bl.	6
1364	— large-flowered	— — <i>grandiflora</i>	br.	6
1365	— pyramidal	— — <i>pyramidalis</i>	yel.	6
1366	Winter Cherry	<i>Physalis Alkekengi</i>	5	25	143	ha	wh.	2½	7-8	3
1367	Xeranthemum, purple	<i>Xeranthemum annuum</i>	19	54	85	pur.	2	3
1368	white	— <i>album</i>	wh.	3
1369	Zinnia, golden yellow	<i>Zinnia aurea</i>	hha	yel.	3
1370	large-flowered	— <i>grandiflora</i>	red	3
1371	mixed	— — —	div.	6

For the convenience of Ladies and Gentlemen who are not acquainted with all the seeds, J. C. has extracted the following list of hardy and half-hardy Annuals, Biennials, Perennials, Greenhouse and Stove Seeds, from which a selection can be made.

I. *Hardy Annuals*.—Nos. 40, 41, 45, 66, 67, 103, 132, 150, 156, 187, 188 to 196, 212, 213, 250, 253, 278 to 287, 307 to 311, 460, 469 to 472, 508 to 511, 520 to 533, 560 to 562, 633, 638 to 641, 644, 671, 672, 689 to 696, 718 to 721, 726, 766 to 773, 777, 797, 880, 950, 951, 961, 962, 963, 1038, 1099, 1107, 1108, 1124, 1139, 1192, 1193, 1200, 1202, 1208, 1211, 1221, 1230 to 1234, 1242, 1252, 1258 to 1265, 1280, 1283.

II. *Half-hardy Annuals, &c.*—Nos. 1 to 20, 21 to 32, 34, 37, 42, 43, 44, 46, 54, 70, 159 to 165, 167, 179, 181, 188 to 196, 259, 295, 298, 329 to 332, 349 to 351, 418, 448, 540, 552, 608, 609, 683, 714, 728 to 731, 742, 779 to 782, 859, 867, 869, 870, 882 to 884, 894, 913, 926, 927, 934, 952, 969, 970, 992, 1057, 1136, 1154, 1155, 1191, 1223 to 1229, 1295, 1313, 1320, 1344 to 1347.

III. *Biennials and Perennials, &c.*—Nos. 33, 38, 47, 48, 50 to 53, 81, 82, 84, 97, 116, 117, 120, 121, 126, 136, 200, 201, 203, 211, 213, 244, 276, 314, 315, 347, 354 to 365, 368 to 378, 380, 383 to 416, 429, 462 to 464, 482 to 487, 491, 501 to 503, 549, 563, 610 to 615, 635, 636, 647, 650, 651, 667 to 670, 673 to 676, 698, 705, 711, 774, 789, 793, 796, 799, 802, 902, 910, 942, 956, 1241, 1289, 1340, 1357, 1360, 1361.

IV. *Greenhouse Seeds*.—Nos. 34, 44, 57, 58, 74, 75, 79, 87, 91, 92, 139, 169 to 171, 185, 263 to 266, 268, 302, 318, 432, 434, 453, 479, 516 and 517, 535, 536, 570, 578 or 582, 605, 624, 626, 628, 642, 646, 659, 661, 677 to 679, 684 to 687, 688, 737, 825, 826, 828, 875, 876, 888, 894, 907, 967, 1001 or 1002, 1009, 1010, 1011, 1016, 1092, 1110, 1111, 1113, 1141, 1142, 1291. *Mixed Greenhouse Seeds, 1s. per packet.*

V. *Stove Seeds*.—Nos. 60, 129, 151, 177, 216 to 234, 299, 353, 435, 500, 518, 551, 567, 574, 578, 605, 637, 886, 887, 1039, 1040. *Mixed Hot-house Seeds, 1s. per packet.*

* * * Some hardy Annuals, as Calliopsis, 188 to 196, flower earlier and are more certain when treated as half-hardy; some are also proper for the greenhouse, as Brachycome, Philox, &c. &c. Many of the Stove Seeds, as Canna, raised on strong heat, flower splendidly in the open borders when planted out in May and also in the greenhouse.

FRUIT SEEDS—per Packet.							
No.		s.	d.			s.	d.
1372	Currants, white, red and black	6		h Anemones, new mixed single	lb.	4	0
1373	Gooseberry, finest mixed	6		— 150 finest new dou., named, sep.		35	0
1374	Melon, Beechwood, true, ext. fine	1	0	— 100 do. do. 24s., 50 do. do.		12	0
1375	— Black Rock	6		— 25 do. do. 6s., 12 do. do.		3	0
1376	— Butler's scarlet-fleshed, extra	1	0	g Cyrtanthus, fine sp., Cape	each	5	0
1377	— Busby's scarlet, very fine	1	0	hb Dahlia, very fine, dry roots, per doz.		12	0
1378	— Cabul	6		— extra fine do.		18	0
1379	— Camerton Court, extra	1	0	s Gesneria, fine sorts, each 1s. 6d.		3	6
1380	— Carter's green-fleshed	1	0	h Gladiolus cardinalis	per doz.	4	0
1381	— Clarke's Cantalupe	6		— floribundus		2	0
1382	— Clifton hybrid, new and fine	1	0	— Rising Sun, new d. scar.		6	0
1383	— Cuthill's green-fleshed	6		— extra fine mixed		4	0
1384	— Davy's hybrid pear	6		s Gloxinia, fine sorts, each 1s. 6d. to		3	6
1385	— Duke of Norfolk's	1	0	h Lilium lancifolium, 3 fine var.	for	20	0
1386	— Carmelite Cantalupe	6		h Panerätium illyricum	each	1	6
1387	— Egyptian, green-fleshed	1	0	g Pentlandia miniata		2	0
1388	— Egyptian, scarlet-fleshed	1	0	h Ranunculus, finest mixed, per 100		7	6
1389	— large green-fleshed	6		— 200 extra fine vars. named, sep.		40	0
1390	— late Cantalupe	6		— 100 do. do. 20s., 50 do. do.		10	0
1391	— Munro's green-fleshed	1	0	— 25 do. do. 5s., 12 do. do.		2	6
1392	— netted Cantalupe	6		— 40 new Scotch do. do.		20	0
1393	— hybrid Ispahan, new	1	0	— scarlet Turbau Ranunc. per 100		2	6
1394	— netted Ispahan	6		— yellow do. do.		2	6
1395	— netted Persian	6		— very dark crimson do. do.		2	6
1396	— netted scarlet-fleshed	6		g Strelitzia, splendid Cape sp.	each	5	0
1397	— old green-fleshed	6		hh Tigridia Pavonia, large	per doz.	2	0
1398	— orange Cantalupe, fine	1	0	— conchiflora		3	6
1399	— Pekin, extra fine, g. f.	1	0	— — — — — superba (Wheeleri)	each	1	0
1400	— Pipe's hybrid, new and fine	1	0	hb Tuberoses, finest dou. Italian, doz.		4	0
1401	— Pipe's new sugar	1	0	<i>Explanations.—h, hardy; hh, half-hardy; these should not be planted in the open borders till the end of April. Tuberoses require a hot-bed to start them. s, stove. The hardy Bulbs may be planted from February till April.</i>			
1402	— scarlet-fleshed	6		SUNDRY PLANTS.			
1403	— Seabrook's small, fine	1	0	Carnations, fine named, per 12 pair		24	0
1404	— Silver Rock	6		— — — — — single plants		12	6
1405	— Snow's green-fleshed	1	0	Picotees, white grounds, per 12 pair		20	0
1406	— Surdan or Sirdan	6		— — — — — single plants		10	6
1407	— Sweet Ispahan	6		— — — — — yellow grounds, per 12 pair		24	0
1408	— Terry's green-fleshed	6		— — — — — single plants		12	6
1409	— white-fruited green-fleshed	6		Chrysanthemums, ext. fine, doz. 9s.		18	0
1410	— Windsor Prize, fine	6		Fuchsias, per doz.		10s.	to 20 0
1411	— Wormsbury green-fleshed	6		Geraniums, doz. 12s. 20s. 40s. 60s.		to 80	0
1412	— very fine mixed	6		Heartsease or Pansies, doz. 7s. 6d.		to 15	0
1413	— 6 extra fine sorts	5	0	Pinks, extra fine, per 12 pair		7s.	to 10 0
1414	— 6 fine sorts	2	0	Roses, doz., finest Standards		25s.	to 30 0
1415	— Mulberry, 3 fine species, sep.	1	0	— — — — — Half Standards		18s.	to 24 0
1416	— Quince	6		— — — — — Dwarfs		9s.	to 18 0
1417	— Raspberry, finest mixed	6		— — — — — Climbing		9s.	to 12 0
1418	— Strawberry, red or white Alpine	6		— — — — — Tea, &c., in Pots, doz.		15s.	to 30 0
1419	— British Queen	6		Verbenas, extra fine, doz.		7s. 6d.	to 15 0
1420	— scarlet, for preserving	6		* * * To prevent Duplicates being sent, a list of such as are already possessed is requested. Any other plants for the Greenhouse, Stove or Bedding can be supplied on the most moderate terms.			
1421	— finest mixed	6					
1422	— Water Melon, 6 fine var.	1	0				
FLOWERING BULBS.							
s	Achimenes, 12 in 4 fine sorts		2				
g	Amaryllys, 6 fine species	for	21				
	— falcata	each	5				
	— Josephiniiana		10				
	— new species, Cape		7				
h	Anemones, finest new dou.	per lb.	7				
	— finest double scarlet		10				

KITCHEN-GARDEN SEEDS.

Warranted Genuine.

Month of Sow.	oz. ounce; lb. pound; qt. quart.	Price.	Month of Sow.	pa. packet; bush. bushel.	Price.
	<i>See note end of page 32.</i>	<i>s. d.</i>			<i>s. d.</i>
3 and 4	Artichoke, green per oz.	9	3 to 5	Broccoli, Impregnated wh. p. oz.	1 0
	purple " "	9		Invisible " "	1 0
	Asparagus, oz. 2d. per lb.	2 0		Knight's self-protecting, "	1 0
11 to 6	Beans, <i>early sorts</i> per qt.	6		Lake's white " "	1 0
	earliest dwarf Fan " "	6		large Cornish " "	1 6
	early Mazagan " "	6		— Spring white " "	1 0
	— Lisbon " "	6		— — purple " "	1 0
	— long-pod " "	6		— Truro " "	1 6
	green long-pod " "	6		— white " "	1 0
	Johnson's Wonderful " "	6		late Cape " "	1 0
	<i>Later sorts.</i> per qt.	6		— close-headed " "	1 0
1 to 5	Toker or intermediate " "	6		— purple " "	1 0
	large Windsor " "	6		— white " "	1 0
	Taylor's do. " "	6		London Particular " "	1 6
	thick-seeded do. " "	6		Miller's dwarf white " "	1 0
	green do. " "	6		new Victoria " "	1 6
4 to 6	Beet, fine large red per oz.	3		Portsmouth " "	1 0
	new German " "	4		Potter's new pink " "	1 6
	new black " "	4		Snow's superb " "	1 6
	new crimson " "	4		very late dwarf Danish " "	1 0
	green " "	3		white Southampton " "	1 0
	silver or Spinaeh Beet " "	3		Wilcock's large white " "	1 0
	white " "	3		Winter Imperial " "	1 6
	Silesian sugar p. lb. 2s. " "	2		1 oz. 8 best for succession	8 0
4 to 5	Borecole, or Kail per oz.	3		1 " 4 do. do.	4 0
	dwarf green curled " "	3		$\frac{1}{2}$ " 8 do. do.	4 6
	tall " "	3		$\frac{1}{2}$ " 4 do. do.	2 6
	dwarf brown " "	3	3 to 5	Brussels Sprouts per oz.	6
	Buda " "	3		imported Belgian " "	1 0
	new Asparagus " "	6	3 to 9	Cabbage, Atkins' Matchless " "	6
	Jerusalem " "	3		Carter's Matchless " "	1 0
	Ragged Jack " "	3		early Emperor " "	6
	purple " "	3		— dwarf " "	6
	variegated " "	6		— East Ham " "	6
3 to 5	Broccoli, early pur. Cape per oz.	1 0		— Enfield " "	6
	early green Cape " "	1 0		— London " "	1 0
	— white Cape " "	1 0		— Nonpareil " "	6
	— Cauliflower " "	1 0		— Sugar-loaf " "	6
	— close-headed " "	1 0		— Wonder " "	6
	— Grange's " "	1 0		— York " "	6
	— Malta " "	1 0		large Heartshaped " "	6
	— October " "	1 0		— Imperial " "	6
	— purple " "	1 0		— Pomcranian " "	1 0
	— sprouting " "	1 0		— York " "	6
2 to 9	— Walcheren " "	1 6		largest Drumhead " "	3
3 to 5	— white " "	1 0		— Scotch " "	3
	Adams' new dwarf " "	1 6		King of the Cabbages " "	1 0
	American, extra " "	1 6		Shilling's Queen " "	1 0
	Brimstone " "	1 0		Spotboro' " "	6
	Chappel's cream " "	1 0		Vanack " "	6
	dwarf Russian " "	1 0		Wellington " "	6
	— Siberian " "	1 0		dwarf red pickling " "	6
	Ellison's gigantic " "	2 6		large red " "	6
	Field's new white " "	1 6		1 oz. 8 finest for succession	5 0
	Hampshire green " "	1 0		$\frac{1}{2}$ " 8 do. do.	2 6
	Hampton Court " "	1 0		Savoy, dwarf green per oz.	6
	Howden's superb " "	1 6		— Drumhead " "	6

Month of Sow.	oz. ounce; lb. pound; qt. quart.	Price.	Month of Sow.	pa. packet; bush. bushel.	Price.
		s. d.			s. d.
3 to 9	Cabbage, Savoy, globe per oz.	6	1 to 10	Cucumbers:	
	— yellow "	6		Hero of Surrey per pa.	6
	Braganza "	1 0		Lancashire Giant "	1 0
	Conve Tronchuda "	1 0		Manchester Prize "	6
	— new curled "	1 0		Man of Kent "	6
	Chonde Milan, imported, "	1 0		Mills's Jewess "	6
	Colewort (for greens) "	6		New early Prolific "	1 0
1 to 10	Carrot, early Horn per oz.	3		Norfolk Champion "	1 0
	early scarlet frame "	3		*Sion House "	6
3 to 5	long Surrey "	3		Snow's white spine "	1 0
	— orange "	3		Stewart's Ringleader "	1 0
	— Stindley "	3		*Weedon's frame "	6
	largest Altringham "	3		Victory of Bath "	1 0
	white Belgian "	2		Victory of England "	6
1 to 4	Cauliflower, early English "	1 6		Walker's Prize "	6
and in	late English "	1 6		*Walker's superb "	1 0
August	— Asiatic "	1 0		*Weedon's frame "	6
	— Cyprus "	1 0		Yonug's Champion "	6
	Popart's new early "	1 6		6 finest varieties "	5 0
	Radford's largest "	1 6	5 to 8	Endive, green curled per oz.	6
	Fitch's early London "	1 6		white curled "	6
	— new late "	1 6		Batavian, green "	6
	Walcheren "	2 0		— white "	6
	black Siellian "	1 6		new German "	6
	1 oz. 4 best for succession "	5 0	1 to 8	French beans, dwarf dun, p. qt.	1 0
	½ " 4 do. do. "	2 6		dwarf Canterbury "	1 0
5 to 6	Cardoon, Spanish per oz.	6		*— dark dun "	1 0
	new large purple "	1 0		*— Fulmer's forcing "	1 0
3 to 5	Celery, solid white "	3		*— Negro "	1 0
	solid red "	3		— Negro Major "	1 6
	Manchester Giant "	4		— speckled "	1 0
	Giant red "	4		— Turkey "	1 0
	Giant white "	4		tall or Scarlet Runners "	1 0
	Jones' Matchless "	4		— French Haricots "	1 6
	Law's white Giant "	4		— Painted Lady "	1 6
	Paw-leaved "	4		— round Turkey "	1 6
	Seymour's white "	4	3 to 5	Icc plant per pa.	3
	Wheeler's new pink "	4	4 to 5	Indian Corn, mixed "	3
	large-rooted Celery "	3	3 to 5	Leek, London Flag per oz.	6
	Chervil, curled "	3		new Giant "	1 0
5 to 7	Corn Salad "	3	1 to 8	Lettuce, Cos, Ady's "	1 0
1 to 12	Cress, common per qt.	1 0		Cos, Artichoke-leaved "	1 0
	triple curled "	1 6		*— Bath "	1 0
	golden per oz.	2		*— black-seeded Bath "	1 0
	Normandy "	2		*— broad-leaved Bath "	1 0
	perennial American "	3		— blood "	1 0
	Water-cress per pa.	6		— Brighton "	1 0
1 to 10	Cucumber, fine frame "	6		*— brown "	1 0
4 to 6	long prickly, per oz. 1s. "	3		*— Egyptian "	1 0
	long Ridge "	3		— Florence "	1 0
	extra fine do. "	6		— green "	1 0
	Rochford "	3		— Nonpareil, white "	1 6
	Stockwood, extra "	6		— — green "	1 6
	short prickly "	3		— Paris "	1 0
	Turkey "	3		— Snow's Matchless "	1 6
	Prize varieties, per packet "	6		— spotted "	1 0
	Bathonian "	6		— white "	1 0
	Carter's white spine "	1 0		*— winter "	1 0
	*Colney Hatel, extra "	1 0		1 oz. 6 best sorts "	6 0
	*Cuthill's black spine "	6		½ " 6 do. do. "	3 0
				Cabbage, white per oz.	1 0

* Best for
Autumn
Sowing.

* Best for Autumn Sowing to stand the Winter.

Month of Sow.	oz. ounce; lb. pound; qt. quart.	Price.	Month of Sow.	pa. packet; bush. bushel.	Price.
1 to 8	Lettuce, Cabbage, Endive-ld. oz.	s. d.	11 to 5	Peas: *Champ. of Engl. 3 p. qt.	2 0
*Best for Autumn Sowing to stand the Winter.	— Asiatic "	1 0	11 to 5	Bishop's early dwarf, 1 "	1 0
	— Belle Garde "	1 0		— new long-podded " "	2 0
	*— brown Dutch "	1 0	1 to 6	II. <i>Later sorts.</i>	
	— Blonde de Versailles "	1 0		Marrow, new Lincoln 3 "	1 6
	— Drumhead "	1 0		— early gr.-seeded " "	9
	— Grand Admiral "	1 0		†— dwarf white " "	9
	*— hardy Hammersmith "	1 0		— dwarf green " "	9
	— Imperial "	1 0		†— matchless green 5-6 "	1 0
	— Magnum Bonum "	1 0		— tall white " "	9
	— Malta "	1 0		— tall green " "	9
	— Marscilles "	1 0		— Ringwood Marrow 3 "	9
	— Mogul "	1 0		†— Royal Victoria 5-6 "	1 0
	*— new Winter "	1 0		— Woodford's green 3 "	1 0
	— pink-edged "	1 0	1 to 6	III. <i>Wrinkled Marrows.**</i>	
	*— Turkey "	1 0		British Queen 5-6 "	2 0
	*— Tennis-ball "	1 0		†Carter's Victoria 4-5 "	2 6
	*Silesian, brown "	1 0		Knight's dwarf white 3 "	2 0
	*— white "	1 0		— dwarf green " "	2 0
	1 oz. 6 finest sorts	5 0		†— tall white 4-6 "	2 0
	½ " 6 do. do.	2 6		— tall green " "	2 0
	4 to 5 Love apple (Tomato), red "	1 0		†Waite's King of the Mar. "	5 0
	yellow "	1 0		IV. <i>Various Peas.</i>	
3 to 6	Mallow, garnishing per pa.	3	1 to 6	Bedman's Imperial 3 "	9
1 to 12	Mustard, white per qt.	1 0		Blue Eclipse, 15 inches "	2 0
3 to 6	Onion, blood-red per oz.	4		— Prussian 3 "	8
3 to 5	*Deptford "	4		Carter's Colossus 4-5 "	1 6
	Globe "	6		— Lilliputian 1 "	2 0
8 to 10	— new white "	6		Flack's Victory 3 "	9
	*James's keeping "	4		Glory of England " "	1 0
3 to 6	*Lisbon "	8		Groom's Superb 1½ "	1 0
	*new Giant "	8		Queen of the Dwarfs 1 "	2 0
8 to 10	Pickling "	4		Scimitar 3 "	9
	Portugal, white "	4		Sugar (eatable pods) 4 "	1 6
3 to 5	*Reading "	8		10 fine for suc. 1 qt. each	14 0
	Silver-skinned "	4		10 do. do. 1 pt. "	7 0
8 to 9	*Spanish, white "	4		6 newest sorts 1 qt. "	14 0
	— brown "	4		6 do. do. 1 pt. "	7 0
2 to 6	*Strasburg "	4		** <i>The Wrinkled Marrows,</i>	
8 to 9	*Tripoli, large "	8		No. III., form a distinct class,	
2 to 6	*Two-bladed early "	6		and can be highly recommend-	
8 to 9	Welch "	3		ed. Carter's Victoria Marrow	
4 to 8	6 finest sorts, 2 oz. each	6 0		is warranted the largest and	
	6 do. do. 1 do.	3 0		finest-flavoured of all the white	
4 to 8	Parsley, extra curled per oz.	3		Peas. Waite's King of the	
	Myatt's garnishing "	3		Marrows is an extraordinary	
3 to 5	Usher's superb, new "	6		large new green variety of first-	
	large-rooted Hamburg "	3		rate quality. * Fairbeard's	
3 to 5	Parsnip, best large "	3		Champion of England, see 1,	
11 to 5	Peas: <i>the usual height in feet.</i>			though very early, belongs also	
	I. <i>Earliest sorts.</i> p. qt.			to this class. † Best for the	
	Warner's Emperor 3 "	1 0		latest crop.	
	Prince Albert "	1 0	2 to 5	Potato, early per pa. 4d. p. oz.	1 0
	early frame " "	8		late " 4d. "	1 0
	— Kent " "	8	1 to 12	Silver-skin " 1s. "	3 6
	— May " "	8		Radish, long frame per qt.	2 0
	— Warwick " "	8		Wood's new frame "	2 0
	— Charlton " "	8		early scarlet "	2 0
	Auvergne " "	1 0			
	*Fairbeard's Surprise " "	2 0			

Month. of Sow.	oz. ounce; lb. pound; qt. quart.	Price.	Month of Sow.	pa packet; bush. bushel.	Price.
		<i>s. d.</i>			<i>s. d.</i>
1 to 12	Radish, early short topt, per qt.	2 0	4 to 6	Clary per oz. 6d. per pa.	3
	long Salmon "	2 0		Fennel " 6d. "	3
	white Naples "	3 0		Florence Fennel " 1s. "	3
	red Turnip "	2 0		Hyssop " 1s. "	3
	white Turnip "	2 0		Lavender " 1s. "	3
	mixed Turnip "	2 0		Marjoram, pot " 1s. "	3
	new olive-shaped "	3 0		— sweet " 1s. "	3
	new Chinese per pa.	6		Marigold, pot " 6d. "	3
	Black Spanish per oz.	3		Purslain, green " 1s. "	3
4 to 6	Rampion per pa.	3		— golden " 1s. "	3
4 to 6	Rhubarb, Linnæus per oz.	1 6		Rosemary " 1s. "	3
	Royal Albert "	1 6		Rue " 1s. "	3
	Tobolsk "	1 0		Sage " 1s. "	3
	Victoria "	1 0		Savory, Summer " 1s. "	3
	Salsafy, root "	6		— Winter " 1s. "	3
8 to 9	Scandix bulbosa, root "	6		Thyme " 1s. "	3
4 to 6	Scorzonera, root "	6	3 to 5	Tobacco (fumigating) 1s.	3
3 to 6	Sea Kail "	6	4 to 6	Wormwood " 1s.	3
	Skirret, root "	6			
	Sorrel "	4			
2 to 6	Spinach, round per qt.	1 0		ROOTS AND PLANTS.	
2 to 9	prickly "	1 0		<i>Prices variable.</i>	
	broad Flanders "	1 0			
3 to 6	New Zealand per oz.	6	3 to 5	Artichokes per peck	2 0
2 to 5	Squash, fine mixed per pa.	3		Asparagus, giant per 100	3 0
2 to 6	Turnip, early Dutch per oz.	3		Garlic per lb.	9
4 to 9	early Mousetail "	3		Horse Radish per doz.	2 6
	— Snowball "	3		Mushroom Spawn per bush.	4 0
	— Nonsuch "	3	1 to 6	Potato, early Ash-leaved p. peck	2 6
	— Stone or Stubble "	3		— early Flour-Ball, &c. "	4 0
5 to 9	large white "	3	4 to 6	Regents, main crop per bush.	8 0
4 to 7	yellow Maltese "	3		Yorkshire red do. "	8 0
	— Preston "	3		Red Kent Kidney, &c. "	8 0
	— Stone "	3		Shallots per lb.	1 0
5 to 7	— Swedish "	2			
2 to 5	— Teltau "	6			
	Vegetable Marrow per pa.	3			
	SWEET HERBS.				
4 to 6	Balm per oz. 1s. per pa.	3			
	Basil, sweet " 1s. "	3			
	— bush " 1s. "	3			
	Borage " 6d. "	3			
	Buglos " 6d. "	3			
	Burnet " 6d. "	3			
3 to 4	Capsicum " 1s. "	3			
	Chilis " 1s. "	3			

AGRICULTURAL SEEDS.

A separate list will be published immediately, comprising the most approved varieties of Agricultural Seeds. The following can only be enumerated in this Catalogue:

	per lb.		per lb.
Cabbage, largest Field	2 6	Sugar Beet, best	1 6
Purnip, finest varieties	from 8d. to 1 6	Carrot, large red Altringham	2 0
Mangold Wurzel, various	from 1s. to 1 6	— largest white Belgian	2 6
Parasnip, extra large	1 6	Grass and Clover, all kinds.	